

GRAND SLAM BASES - S466 GRAND SLAM BASE

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

Solid Steel, Two-Piece Bases For Rifles, Hunting Handguns

High strength, steel bases to fit a wide range of modern and older rifles plus, some long range handguns. Sold each, order front and rear base. Front and rear extension bases provide added flexibility for mounting all types of scopes. S35 Base fits BSA - Monarch med./long action. S36: Rear; S35: Front. Churchill - Highlander. S36: Rear; S35: Front. Colt - Sauer. S35: Front & Rear. Enfield - Receiver cut down like: Remington 721. S36: Rear; S35: Front. H&R - 317, 322. S35: Front. Herter's - U-9 round receiver. S36: Rear; S35: Front. Howa - 1500. S36: Rear; S35: Front. Mossberg - 1500, 1550, 1700. S36: Rear; S35: Front. Raptor Arms - 700 Action. S36: Rear; S35: Front. Remington - 700 Long Action, 78, 40-XL, 721, 725, 700 Short Action, 700ML. S36: Rear; S35: Front. Ruger - 77 Round Top. S35: Front. Sauer - 200. S35: Front & Rear. Shilen - Round Receiver. S35: Front & Rear. Smith & Wesson - 1500, 1600, 1700. S36: Rear; S35: Front. Weatherby - Mark V, Vanguard. S36: Rear, S35: Front. S36 Base fits BSA - Monarch med./long action. S36: Rear; S35: Front. BSA - Monarch med./long action, R/ext. S36: Rear; S40A: Front. Churchill - Highlander. S36: Rear; S35: Front. Churchill - Highlander, R/ext. S36: Rear; S40A: Front. Enfield - Receiver cut down like: Remington 721. S36: Rear; S35: Front. Enfield - Receiver cut down like: Remington 721, R/extension. S36: Rear; S40A: Front. Herter's - U-9 round receiver. S36: Rear; S35: Front. Herter's - U-9 round receiver, R/extension. S36: Rear; S40A: Front. Howa - 1500. S36: Rear; S35: Front. Howa - 1500, F/extension. S36: Rear; S40A: Front. Mossberg - 1500, 1550, 1700. S36: Rear; S35: Front. Mossberg - 1500, 1550, 1700, R/extension. S36: Rear; S40A: Front. Raptor Arms - 700 Action. S36: Rear; S35: Front. Raptor Arms - 700 Action F/extension. S36: Rear; S40A: Front. Remington - 700 Long Action, 78, 40-XL, 721, 725. S36: Rear; S35: Front. Remington - 700 Short Action, 700ML. S36: Rear; S35: Front. Remington - 700 Short Action, 700ML. S36: Rear; S40A: Front. Smith & Wesson - 1500, 1600, 1700. S36: Rear; S35: Front. Smith & Wesson - 1500, 1600, 1700, R/extension. S36: Rear; S40A: Front. Weatherby - Mark V, Vanguard. S36: Rear; S35: Front. Weatherby - Mark V, Vanguard F/extension. S36: Rear; S40A: Front. Weatherby - Mark V 22-50, 224, 30-06. S36: Rear; S46 : Front. S40A Base fits BSA - Monarch med./long action, R/ext. S36: Rear; S40A: Front. Churchill - Highlander, R/ext. S36: Rear; S40A: Front. Colt - Sauer F/extension. S40A: Front & Rear. Enfield - Receiver cut down like: Remington 721, R/extension. S36: Rear; S40A: Front. H&R - 317, 322, R/extension. S40A: Front. Herter's - U-9 round receiver, R/extension. S36: Rear; S40A: Front. Howa - 1500, F/extension. S36: Rear; S40A: Front. Mossberg - 1500, 1550, 1700, R/extension. S36: Rear; S40A: Front. Raptor Arms - 700 Action F/extension. S36: Rear; S40A: Front. Remington - 700 Short Action, 700ML. S36: Rear; S40A: Front. Sauer - 200, F/R/extension. S40A: Front & Rear. Shilen - Round Receiver, F/R/extension. S40A: Front & Rear. Smith & Wesson - 1500, 1600, 1700, R/extension. S36: Rear; S40A: Front. Weatherby - Mark V, Vanguard. S36: Rear; S35: Front. S402 Base fits Browning - BBR long & short action. S47: Rear; S46: Front. CIL - 950, 950C F/extension. S61: Rear; S402: Front. CIL - 972-C F/extension. S45: Rear, S402: Front. Colt - 57 F/extension. S45: Rear; S402: Front. Cooey - 71 F/extension. S402: Front. Enfield - Receiver cut down like: Winchester 70, F/extension. S402: Front. H&R - 300, 301 long action pre-1973. S45: Rear; S402: Front. H&R - 300, 301 long action post 1973. S46: Rear; S402: Front. Herter's - J-9 FN action, F/extension. S45: Rear;



S402: Front. Marlin - MR-7, F/extension. S402: Front. Mauser - model 98 F/extension. S45: Rear; S402: Front. Mauser - 95, 96 F/extension. S55: Rear; S402: Front. Musgrave - Mark I, Mark II. S54: Rear; S402: Front. Musgrave - Mark III, Mark IV, F/extension. S45: Rear; S402: Front. Savage - 10 & 110 Series F/extension. S61: Rear; S402: Front. Sears - 53, F/extension. S402: Front. Voere - 2150, 2165, Mauser Action. S45: Rear; S402: Front. Voere - Mauser Action R/extension. S45: Rear; S402: Front. Winchester - 670, 770, F/extension. S402: Front. S45 Base fits CIL - 972-C. S45: Rear; S46: Front. CIL - 972-C F/extension. S45: Rear, S402: Front. Colt - 57. S45: Rear; S46: Front. Colt - 57 F/extension. S45: Rear; S402: Front. H&R - 300, 301 long action pre-1973. S45: Rear; S402: Front. Herter's - J-9 FN action. S45: Rear; S46: Front. Herter's - J-9 FN action, F/extension. S45: Rear; S402: Front. Knight - LK-93, Wolverine, Legend, Disc. S45: Front & Rear. Mauser - 455. S45: Rear; S46: Front. Mauser - FN, HVA, model 95, 98 large ring. S45: Rear; S46: Front. Mauser - model 98 F/extension. S45: Rear; S402: Front. Mauser - Viscount. S45: Rear. Musgrave - Mark III, Mark IV. S54: Rear; S46: front. Musgrave - Mark III, Mark IV, F/extension. S45: Rear; S402: Front. Parker Hale - 1000, 1000C, 1100, 1200, 1700. S45: Rear; S46: Front. Sears - 50, 51 FN action. S45: Rear; S46: Front. Springfield - 03-A3. S45: Front. Voere - 2150, 2165, Mauser Action. S45: Rear; S402: Front. Voere - Mauser Action R/extension. S45: Rear; S402: Front. S46 Base fits Anschutz - 1568. S61: Rear; S46: Front. Browning - BBR long & short action. S47: Rear; S46: Front. CIL - 950, 950C. S61: Rear; S46: Front. CIL - 972-C. S45: Rear; S46: Front. Colt - 57. S45: Rear; S46: Front. Cooey - 71. S47: Rear; S46: Front. Enfield - Receiver cut down like: Winchester 70. S47: Rear; S46: Front. H&R - 300, 301, 330, 370 before 1973. S45: Rear; S46: Front. H&R - 300, 301 long action after 1973. S45: Rear; S46: Front. H&R - 300, 301 long action post 1973. S46: Rear; S402: Front. Herter's - J-9 FN action. S45: Rear; S46: Front. High Standard - Hi-Power. S55: Rear; S46: Front. Marlin - MR-7. S47: Rear; S46: Front. Mauser - 455. S45: Rear; S46: Front. Mauser - Bauer 3000, 4000. S46: Front. Mauser - FN, HVA, model 95, 98 large ring. S45: Rear; S46: Front. Mauser - HVA, Swedish 96 small ring. S55: Rear; S46: Front. Musgrave - Mark I, Mark II. S54: Rear; S46: Front. Musgrave - Mark III, Mark IV. S54: Rear; S46: front. Navy Arms - Country Boy. S46: Front & Rear. Parker Hale - 1000, 1000C, 1100, 1200, 1700. S45: Rear; S46: Front. Savage - 110, 116, 10, 11, 12. S61: Rear; S46: Front. Sears - 50, 51 FN action. S45: Rear; S46: Front. Sears - 51L. S55: Rear; S46: Front. Sears - 53. S47: Rear; S46: Front. Smith & Wesson - Mauser Action. S55: Rear; S46: Front. Stevens - 110E. S61: Rear; S46: Front. Weatherby - Mark V 22-50, 224, 30-06. S36: Rear; S46: Front. Winchester - 70 Long & Short action, H&H mags above #1,896,476. S47: Rear; S46: Front. Winchester - 70 Long & Short Action, H&H mags above #1,896,476, F/extension. S46: Front. Winchester - 70 Target, H&H mags above #1,896,476. S49A: Rear; S46: Front. Winchester - E2 Hole spacing same. S46: Front & Rear/ Winchester - 670, 770. S47: Rear; S46: Front. S466 Base fits Marlin - 9, 36, 46, 62, 93, 336, 375, 444, 1893, 1894, 1895, Camp Carbine, 922M, 989, Glenfield 30. S466: Front & Rear. S47 Base fits Browning - A-Bolt after 1996. S47: Rear. Browning - A-Bolt, A-bolt 22 before 1996. S47: Front & Rear. Browning - BBR long & short action. S47: Rear; S46: Front. Cooey - 71. S47: Rear; S46: Front. Enfield - Receiver cut down like: Winchester 70. S47: Rear; S46: Front. Marlin - MR-7. S47: Rear; S46: Front. Ruger - 44 mag Deer Stalker, 96/44. S47: Rear. Sears - 53. S47: Rear; S46: Front. Winchester - 70 Long & Short action, H&H mags above #1,896,476. S47: Rear; S46: Front. Winchester - 670, 770. S47: Rear; S46: Front. S49A Base fits Winchester - 70 LA, Magnum rifles. S54 Base fits Browning - BAR, BAR II, Mark II, semi-auto. S54: Front & Rear. Colt - Coltsman LA round receiver. S54: Front & Rear. H&R - 300, 301, 330, 370 before 1973. S45: Rear; S46: Front. H&R - 300, 301 long action after 1973. S45: Rear; S46:

Front. Musgrave - Mark I, Mark II. S54: Rear; S46: Front. Musgrave - Mark III, Mark IV. S54: Rear; S46: front. Springfield - '03. S54: Rear; S55: Front. S55 Base fits High Standard - Hi-Power. S55: Rear; S46: Front. Mauser - HVA, Swedish 96 small ring. S55: Rear; S46: Front. . Mauser - 95, 96 F/extension. S55: Rear; S402: Front. Mauser - Mark X. S55: Rear. Mossberg - 680, 695, 800. S55: Front & Rear. Sears - 51L. S55: Rear; S46: Front. Smith & Wesson - Mauser Action. S55: Rear; S46: Front. Springfield - '03. S54: Rear; S55: Front. Westernfield - 770, 775, 780. S55: Front & Rear. S61 Base fits Anschutz - 1568. S61: Rear; S46: Front. CIL - 950, 950C. S61: Rear; S46: Front. CIL - 950, 950C F/extension. S61: Rear; S402: Front. Ithaca - LSA-55, LSA-65. S61: Front & Rear. Knight - MK 85, BK-92, T-Bolt. S61: Front & Rear. Sako - Whitetail Hunter. S61: Front & Rear. Savage - 110, 116, 10, 11, 12. S61: Rear; S46: Front. Savage - 10 & 110 Series F/extension. S61: Rear; S402: Front. Shilen - Flat Top Receiver. S61: Front & Rear. Stevens - 110E. S61: Rear; S46: Front. Tikka - Flat Receiver. S61: Front & Rear.

Attributes

- Name: [S466 GRAND SLAM BASE](#)
- Manufacturer: [WEAVER](#)
- Product no.: 955000072
- Mfr. No.: 48282
- Action Type: Bolt Action
- Color: Black
- Elevation: 0 MOA
- Make: Marlin
- Material: Steel
- Model: 1893,1894,1895,1936,336,375,444,45,62,9,922M,93,989,Camp 9,Glenfield 30,30AS,922
- Model Number: S466
- Number of Bases: 1-Piece
- Style: Weaver-Style Bases
- Delivery weight: 0.036kg
- Shipping height: 25mm
- Shipping width: 48mm
- Shipping length: 94mm
- UPC: 076683482822

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for GRAND SLAM BASES S466 GRAND SLAM BASE
- About Us

Safety Instruction Guide for GRAND SLAM BASES S466 GRAND SLAM BASE

Introduction

Thank you for choosing the GRAND SLAM BASES S466 GRAND SLAM BASE. This guide provides important safety information and instructions to ensure the proper use of this product. Please read this guide carefully before installation and use to ensure safe operation and compliance with EU safety regulations.

General Safety Guidelines

- Ensure all users are familiar with the product and its functions.
- Always handle the product with care to prevent injury.
- Inspect the product for any visible damage or defects before use.
- Do not use the product if it is damaged or has missing parts.
- Keep the product out of reach of children and vulnerable individuals.
- Follow all local laws and regulations regarding firearm accessories and use.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Use only with compatible rifles and handguns as specified in the product details.
- Ensure that all mounting screws are securely tightened before use.
- Do not exceed the manufacturer's recommendations for weight and scope size.
- Always check the stability of the mounted equipment before firing.
- Avoid using the product in adverse weather conditions that may affect safety.
- Regularly inspect the bases and mounts for wear and tear, and replace as necessary.
- If unsure about compatibility or installation, consult a qualified gunsmith.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove any existing bases or mounts from the firearm.
- Align the GRAND SLAM BASE with the mounting holes on the firearm's receiver.
- Insert and tighten the screws provided with the base, ensuring a secure fit.
- Repeat the process for the rear base if applicable.
- Doublecheck all screws for tightness before proceeding.

2. Usage:

- Once installed, ensure that the scope or sight is properly mounted on the base.
- Adjust the scope according to the manufacturer's instructions for optimal performance.
- Always perform a function check to ensure everything is secure before use.
- When transporting the firearm, ensure that the mounted scope is protected from impacts.

Disposal Instructions

- Dispose of the product responsibly, following local regulations for waste disposal.
- Remove any screws and hardware before disposal.
- If the product is damaged beyond repair, consider recycling the materials where possible.

Contact Information for Further Support

For any questions or concerns regarding the GRAND SLAM BASES S466 GRAND SLAM BASE, please refer to your retailer or manufacturer's website for further assistance and support.

Thank you for your attention to these safety instructions. Your safety is our priority.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at