

GRAND SLAM BASES - S402 GRAND SLAM BASE

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

Solid Steel, Two-Piece Bases For Rifles, Hunting Handguns

High strength, steel bases to fit a wide range of modern and older rifles plus, some long range handguns. Sold each, order front and rear base. Front and rear extension bases provide added flexibility for mounting all types of scopes. S35 Base fits BSA - Monarch med./long action. S36: Rear; S35: Front. Churchill - Highlander. S36: Rear; S35: Front. Colt - Sauer. S35: Front & Rear. Enfield - Receiver cut down like: Remington 721. S36: Rear; S35: Front. H&R - 317, 322. S35: Front. Herter's - U-9 round receiver. S36: Rear; S35: Front. Howa - 1500. S36: Rear; S35: Front. Mossberg - 1500, 1550, 1700. S36: Rear; S35: Front. Raptor Arms - 700 Action. S36: Rear; S35: Front. Remington - 700 Long Action, 78, 40-XL, 721, 725, 700 Short Action, 700ML. S36: Rear; S35: Front. Ruger - 77 Round Top. S35: Front. Sauer - 200. S35: Front & Rear. Shilen - Round Receiver. S35: Front & Rear. Smith & Wesson - 1500, 1600, 1700. S36: Rear; S35: Front. Weatherby - Mark V, Vanguard. S36: Rear, S35: Front. S36 Base fits BSA - Monarch med./long action. S36: Rear; S35: Front. BSA - Monarch med./long action, R/ext. S36: Rear; S40A: Front. Churchill - Highlander. S36: Rear; S35: Front. Churchill - Highlander, R/ext. S36: Rear; S40A: Front. Enfield - Receiver cut down like: Remington 721. S36: Rear; S35: Front. Enfield - Receiver cut down like: Remington 721, R/extension. S36: Rear; S40A: Front. Herter's - U-9 round receiver. S36: Rear; S35: Front. Herter's - U-9 round receiver, R/extension. S36: Rear; S40A: Front. Howa - 1500. S36: Rear; S35: Front. Howa - 1500, F/extension. S36: Rear; S40A: Front. Mossberg - 1500, 1550, 1700. S36: Rear; S35: Front. Mossberg - 1500, 1550, 1700, R/extension. S36: Rear; S40A: Front. Raptor Arms - 700 Action. S36: Rear; S35: Front. Raptor Arms - 700 Action F/extension. S36: Rear; S40A: Front. Remington - 700 Long Action, 78, 40-XL, 721, 725. S36: Rear; S35: Front. Remington - 700 Short Action, 700ML. S36: Rear; S35: Front. Remington - 700 Short Action, 700ML. S36: Rear; S40A: Front. Smith & Wesson - 1500, 1600, 1700. S36: Rear; S35: Front. Smith & Wesson - 1500, 1600, 1700, R/extension. S36: Rear; S40A: Front. Weatherby - Mark V, Vanguard. S36: Rear; S35: Front. Weatherby - Mark V, Vanguard F/extension. S36: Rear; S40A: Front. Weatherby - Mark V 22-50, 224, 30-06. S36: Rear; S46 : Front. S40A Base fits BSA - Monarch med./long action, R/ext. S36: Rear; S40A: Front. Churchill - Highlander, R/ext. S36: Rear; S40A: Front. Colt - Sauer F/extension. S40A: Front & Rear. Enfield - Receiver cut down like: Remington 721, R/extension. S36: Rear; S40A: Front. H&R - 317, 322, R/extension. S40A: Front. Herter's - U-9 round receiver, R/extension. S36: Rear; S40A: Front. Howa - 1500, F/extension. S36: Rear; S40A: Front. Mossberg - 1500, 1550, 1700, R/extension. S36: Rear; S40A: Front. Raptor Arms - 700 Action F/extension. S36: Rear; S40A: Front. Remington - 700 Short Action, 700ML. S36: Rear; S40A: Front. Sauer - 200, F/R/extension. S40A: Front & Rear. Shilen - Round Receiver, F/R/extension. S40A: Front & Rear. Smith & Wesson - 1500, 1600, 1700, R/extension. S36: Rear; S40A: Front. Weatherby - Mark V, Vanguard. S36: Rear; S35: Front. S402 Base fits Browning - BBR long & short action. S47: Rear; S46: Front. CIL - 950, 950C F/extension. S61: Rear; S402: Front. CIL - 972-C F/extension. S45: Rear, S402: Front. Colt - 57 F/extension. S45: Rear; S402: Front. Cooey - 71 F/extension. S402: Front. Enfield - Receiver cut down like: Winchester 70, F/extension. S402: Front. H&R - 300, 301 long action pre-1973. S45: Rear; S402: Front. H&R - 300, 301 long action post 1973. S46: Rear; S402: Front. Herter's - J-9 FN action, F/extension. S45: Rear;



S402: Front. Marlin - MR-7, F/extension. S402: Front. Mauser - model 98 F/extension. S45: Rear; S402: Front. Mauser - 95, 96 F/extension. S55: Rear; S402: Front. Musgrave - Mark I, Mark II. S54: Rear; S402: Front. Musgrave - Mark III, Mark IV, F/extension. S45: Rear; S402: Front. Savage - 10 & 110 Series F/extension. S61: Rear; S402: Front. Sears - 53, F/extension. S402: Front. Voere - 2150, 2165, Mauser Action. S45: Rear; S402: Front. Voere - Mauser Action R/extension. S45: Rear; S402: Front. Winchester - 670, 770, F/extension. S402: Front. S45 Base fits CIL - 972-C. S45: Rear; S46: Front. CIL - 972-C F/extension. S45: Rear, S402: Front. Colt - 57. S45: Rear; S46: Front. Colt - 57 F/extension. S45: Rear; S402: Front. H&R - 300, 301 long action pre-1973. S45: Rear; S402: Front. Herter's - J-9 FN action. S45: Rear; S46: Front. Herter's - J-9 FN action, F/extension. S45: Rear; S402: Front. Knight - LK-93, Wolverine, Legend, Disc. S45: Front & Rear. Mauser - 455. S45: Rear; S46: Front. Mauser - FN, HVA, model 95, 98 large ring. S45: Rear; S46: Front. Mauser - model 98 F/extension. S45: Rear; S402: Front. Mauser - Viscount. S45: Rear. Musgrave - Mark III, Mark IV. S54: Rear; S46: front. Musgrave - Mark III, Mark IV, F/extension. S45: Rear; S402: Front. Parker Hale - 1000, 1000C, 1100, 1200, 1700. S45: Rear; S46: Front. Sears - 50, 51 FN action. S45: Rear; S46: Front. Springfield - 03-A3. S45: Front. Voere - 2150, 2165, Mauser Action. S45: Rear; S402: Front. Voere - Mauser Action R/extension. S45: Rear; S402: Front. S46 Base fits Anschutz - 1568. S61: Rear; S46: Front. Browning - BBR long & short action. S47: Rear; S46: Front. CIL - 950, 950C. S61: Rear; S46: Front. CIL - 972-C. S45: Rear; S46: Front. Colt - 57. S45: Rear; S46: Front. Cooey - 71. S47: Rear; S46: Front. Enfield - Receiver cut down like: Winchester 70. S47: Rear; S46: Front. H&R - 300, 301, 330, 370 before 1973. S45: Rear; S46: Front. H&R - 300, 301 long action after 1973. S45: Rear; S46: Front. H&R - 300, 301 long action post 1973. S46: Rear; S402: Front. Herter's - J-9 FN action. S45: Rear; S46: Front. High Standard - Hi-Power. S55: Rear; S46: Front. Marlin - MR-7. S47: Rear; S46: Front. Mauser - 455. S45: Rear; S46: Front. Mauser - Bauer 3000, 4000. S46: Front. Mauser - FN, HVA, model 95, 98 large ring. S45: Rear; S46: Front. Mauser - HVA, Swedish 96 small ring. S55: Rear; S46: Front. Musgrave - Mark I, Mark II. S54: Rear; S46: Front. Musgrave - Mark III, Mark IV. S54: Rear; S46: front. Navy Arms - Country Boy. S46: Front & Rear. Parker Hale - 1000, 1000C, 1100, 1200, 1700. S45: Rear; S46: Front. Savage - 110, 116, 10, 11, 12. S61: Rear; S46: Front. Sears - 50, 51 FN action. S45: Rear; S46: Front. Sears - 51L. S55: Rear; S46: Front. Sears - 53. S47: Rear; S46: Front. Smith & Wesson - Mauser Action. S55: Rear; S46: Front. Stevens - 110E. S61: Rear; S46: Front. Weatherby - Mark V 22-50, 224, 30-06. S36: Rear; S46: Front. Winchester - 70 Long & Short action, H&H mags above #1,896,476. S47: Rear; S46: Front. Winchester - 70 Long & Short Action, H&H mags above #1,896,476, F/extension. S46: Front. Winchester - 70 Target, H&H mags above #1,896,476. S49A: Rear; S46: Front. Winchester - E2 Hole spacing same. S46: Front & Rear/ Winchester - 670, 770. S47: Rear; S46: Front. S466 Base fits Marlin - 9, 36, 46, 62, 93, 336, 375, 444, 1893, 1894, 1895, Camp Carbine, 922M, 989, Glenfield 30. S466: Front & Rear. S47 Base fits Browning - A-Bolt after 1996. S47: Rear. Browning - A-Bolt, A-bolt 22 before 1996. S47: Front & Rear. Browning - BBR long & short action. S47: Rear; S46: Front. Cooey - 71. S47: Rear; S46: Front. Enfield - Receiver cut down like: Winchester 70. S47: Rear; S46: Front. Marlin - MR-7. S47: Rear; S46: Front. Ruger - 44 mag Deer Stalker, 96/44. S47: Rear. Sears - 53. S47: Rear; S46: Front. Winchester - 70 Long & Short action, H&H mags above #1,896,476. S47: Rear; S46: Front. Winchester - 670, 770. S47: Rear; S46: Front. S49A Base fits Winchester - 70 LA, Magnum rifles. S54 Base fits Browning - BAR, BAR II, Mark II, semi-auto. S54: Front & Rear. Colt - Coltsman LA round receiver. S54: Front & Rear. H&R - 300, 301, 330, 370 before 1973. S45: Rear; S46: Front. H&R - 300, 301 long action after 1973. S45: Rear; S46:

Front. Musgrave - Mark I, Mark II. S54: Rear; S46: Front. Musgrave - Mark III, Mark IV. S54: Rear; S46: front. Springfield - '03. S54: Rear; S55: Front. S55 Base fits High Standard - Hi-Power. S55: Rear; S46: Front. Mauser - HVA, Swedish 96 small ring. S55: Rear; S46: Front. . Mauser - 95, 96 F/extension. S55: Rear; S402: Front. Mauser - Mark X. S55: Rear. Mossberg - 680, 695, 800. S55: Front & Rear. Sears - 51L. S55: Rear; S46: Front. Smith & Wesson - Mauser Action. S55: Rear; S46: Front. Springfield - '03. S54: Rear; S55: Front. Westernfield - 770, 775, 780. S55: Front & Rear. S61 Base fits Anschutz - 1568. S61: Rear; S46: Front. CIL - 950, 950C. S61: Rear; S46: Front. CIL - 950, 950C F/extension. S61: Rear; S402: Front. Ithaca - LSA-55, LSA-65. S61: Front & Rear. Knight - MK 85, BK-92, T-Bolt. S61: Front & Rear. Sako - Whitetail Hunter. S61: Front & Rear. Savage - 110, 116, 10, 11, 12. S61: Rear; S46: Front. Savage - 10 & 110 Series F/extension. S61: Rear; S402: Front. Shilen - Flat Top Receiver. S61: Front & Rear. Stevens - 110E. S61: Rear; S46: Front. Tikka - Flat Receiver. S61: Front & Rear.

Attributes

- Name: [S402 GRAND SLAM BASE](#)
- Manufacturer: [WEAVER](#)
- Product no.: 955000081
- Mfr. No.: 48247
- Action Type: Bolt Action
- Color: Black
- Elevation: 0 MOA
- Make: Browning,CIL,Colt,Cooey,H&R,Herters,Marlin,Mauser,Savage Arms,Sears,Voere,Winchester
- Material: Steel
- Model: 10,110,300,301,53,57,670,71,770,950,972C,98,BBR,J-9,Mauser,MR-7,112,114,111,116
- Model Number: S402
- Number of Bases: 1-Piece
- Style: Weaver-Style Bases
- Delivery weight: 0.045kg
- Shipping height: 3mm
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 076683482471

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for GRAND SLAM BASES S402
- About Us

Safety Instruction Guide for GRAND SLAM BASES S402

Introduction

Thank you for choosing the GRAND SLAM BASES S402. This guide provides essential safety information and instructions to ensure the proper and safe use of this product. Please read this document carefully before using the bases with your rifles or handguns.

General Safety Guidelines

- Ensure that the GRAND SLAM BASES S402 is compatible with your firearm model before installation.
- Always handle firearms with care and follow all safety protocols when using or installing bases.
- Store the bases in a cool, dry place away from direct sunlight to prevent damage.
- Inspect the bases regularly for signs of wear or damage. Do not use if damaged.
- Keep the bases out of reach of children and unauthorized users.
- Follow all local laws and regulations regarding the use of firearm accessories.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before installing or adjusting the bases.
- Use only the recommended screws and tools for installation to prevent damage to the bases or firearm.
- Do not exceed the recommended weight limit for scopes mounted on the bases.
- Always check the tightness of the bases before use to ensure they are securely mounted.
- Avoid using the bases in extreme weather conditions that could affect their performance.
- If you experience any issues with the bases, cease use immediately and consult a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools including a screwdriver and the screws provided with the bases.
- Ensure your firearm is unloaded and pointed in a safe direction.

2. Installation:

- Align the base with the mounting holes on your firearm.
- Insert the screws through the base into the mounting holes.
- Tighten the screws securely, ensuring the base is firmly attached to the firearm.
- Repeat the process for the rear base if applicable.

3. Usage:

- Once the bases are installed, carefully mount your scope according to the manufacturer's instructions.
- Ensure that all adjustments are made while the firearm is pointed in a safe direction.

4. PostInstallation Checks:

- Check the alignment of the scope and ensure it is securely mounted.
- Perform a function check of the firearm to ensure everything operates correctly.

Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- If the bases are damaged beyond repair, dispose of them in a way that prevents them from being reused improperly.
- Recycle materials where possible, following local recycling guidelines.

Contact Information for Further Support

For any questions or concerns regarding the GRAND SLAM BASES S402, please reach out to your local retailer or consult a qualified gunsmith for assistance.

Conclusion

By following these safety instructions, you can ensure the safe and effective use of the GRAND SLAM BASES S402 with your firearms. Always prioritize safety and adhere to local regulations when using firearm accessories. Thank you for your attention to these important guidelines.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at