

WEIG-A-TINNY® SCOPE MOUNT FOR RUGER® 77/22 - WEIGAND COMBAT SCOPE MOUNT PICATINNY FOR RUGER 77/22 SILVER

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

Increases Mounting Options On 77/22 & 77/44

Clamps to factory ring cuts; keeps mounting height low and over the receiver. Lots of slots for Weaver-style rings. 77/22® fits .22 LR and .22 Magnum with no modifications to rifle. 77/44® also fits 77/22®, .22 Hornet.



Attributes

- Name: [WEIGAND COMBAT SCOPE MOUNT PICATINNY FOR RUGER 77/22 SILVER](#)
- Manufacturer: [WEIGAND COMBAT](#)
- Product no.: 957000047
- Mfr. No.: 7722PS
- Action Type: Bolt Action
- Colour: Silver
- Material: Aluminum
- Model: 77/22
- Number of Bases: 1-Piece
- Style: Weaver-Style Bases
- Weapon type: Ruger
- Delivery weight: 0.091kg
- Shipping height: 15mm
- Shipping width: 89mm
- Shipping length: 175mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [WEIGATINNY® Scope Mount for Ruger® 77/22 Safety Instructions](#)
- [About Us](#)

WEIGATINNY® Scope Mount for Ruger® 77/22

Safety Instructions

Introduction

Thank you for choosing the WEIGATINNY® Scope Mount for your Ruger® 77/22. This product is designed to enhance your shooting experience by providing a secure and reliable mounting solution for your optics. Please read this safety instruction guide carefully to ensure proper usage and to maximize your safety while handling this product.

General Safety Guidelines

- Always ensure the firearm is unloaded before installing or adjusting the scope mount.
- Use the scope mount only with compatible firearms as specified in the product description.
- Regularly inspect the scope mount for signs of wear or damage before each use.
- Do not exceed the manufacturer's recommended torque specifications when tightening screws.
- Keep the scope mount and firearm out of reach of children and unauthorized users.
- Report any unsafe product incidents or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure that the scope mount is securely fastened to the firearm before each use.
- Avoid using the scope mount in extreme weather conditions that may affect its integrity or performance.
- Do not modify the scope mount or attempt to make alterations that could compromise safety.
- When transporting the firearm with the scope mount attached, ensure it is stored in a secure case.
- If you experience difficulty during installation or usage, seek assistance from a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and in a safe condition.
- Gather necessary tools, including a compatible screwdriver for screws.

2. Installation Steps:

- Locate the factory ring cuts on your Ruger® 77/22.
- Align the WEIGATINNY® Scope Mount with the ring cuts.
- Carefully position the scope mount so that it clamps securely to the ring cuts.
- Use the provided screws to fasten the scope mount in place, ensuring it is level and aligned.
- Tighten the screws to the manufacturer's recommended torque specifications.

3. Usage:

- After installation, check that the scope is securely mounted and properly adjusted for your shooting needs.
- Regularly check the tightness of the scope mount screws during use.

Disposal Instructions

- Dispose of the WEIGATINNY® Scope Mount in accordance with local regulations for metal waste.
- Do not dispose of the product in household waste. Instead, take it to a designated recycling facility if available.

Contact Information for Further Support

For any inquiries regarding safety, installation, or product specifications, please refer to the product packaging for the appropriate contact information.

Thank you for following these safety instructions. Your safety and satisfaction are our top priorities. Enjoy your shooting experience with the WEIGATINNY® Scope Mount!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk