

RIFLE FIRE SIGHT HOOD BLACK

[Rifle Parts](#) > [Sights](#) > [Sight Parts](#) > [Hoods](#)

Protects front blade from those damaging accidental bumps. Open top allows plenty of light to reach the fiber optic rod. Fits Williams Streamlined Dovetail Ramps.



Attributes

- Name: [RIFLE FIRE SIGHT HOOD BLACK](#)
- Manufacturer: [WILLIAMS GUN SIGHT](#)
- Product no.: 962000016
- Mfr. No.: 70031
- Color: Black
- Make: Universal Rifles
- Delivery weight: 0.009kg
- Shipping height: 15mm
- Shipping width: 53mm
- Shipping length: 84mm
- UPC: 053506700318

Item details

Made in USA

Table of Contents

- Startpage
- RIFLE FIRE SIGHT HOOD Safety Instruction Guide
- About Us

RIFLE FIRE SIGHT HOOD Safety Instruction Guide

Introduction

Thank you for choosing the RIFLE FIRE SIGHT HOOD. This product is designed to protect the front blade of your rifle from accidental bumps and damage. The open top design allows ample light to reach the fiber optic rod, enhancing your shooting experience. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Always ensure that the RIFLE FIRE SIGHT HOOD is installed correctly before using your rifle.
- Regularly inspect the sight hood for any signs of wear or damage. Replace if necessary.
- Keep the product out of reach of children to prevent accidental injury.
- Follow all local laws and regulations regarding the use of firearms and accessories.
- Report any unsafe conditions or incidents related to the product to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure that the rifle is unloaded before installing or adjusting the sight hood.
- Do not use the sight hood if it is damaged or does not fit securely.
- Avoid exposing the sight hood to extreme temperatures or harsh chemicals.
- Use the product only for its intended purpose; do not modify or alter it.
- Always wear appropriate eye protection when using firearms.

Instructions for Installation and Usage

1. Installation

- Ensure the rifle is unloaded and pointed in a safe direction.
- Locate the dovetail ramp on your rifle where the sight hood will be installed.
- Align the RIFLE FIRE SIGHT HOOD with the dovetail ramp.
- Gently slide the sight hood into place until it is secure.
- Check that the sight hood is firmly attached and does not move when touched.

2. Usage

- Once installed, ensure that the sight hood is clean and free from obstructions.
- When aiming, ensure that the sight hood does not interfere with your line of sight.
- Regularly check the sight hood for any signs of loosening or damage during use.

Disposal Instructions

- Dispose of the RIFLE FIRE SIGHT HOOD in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- If the product is damaged, consult local waste management services for proper disposal methods.

Contact Information for Further Support

For safety inquiries and further support, please refer to the manufacturer's contact information provided on the packaging or product documentation.

By following these guidelines, you can ensure the safe and effective use of the RIFLE FIRE SIGHT HOOD. Thank you for your attention to safety and responsible firearm use.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at