

REMINGTON SIGHT SET REM 2003 & EARLIER - WILLIAMS GUN SIGHT REMINGTON FIBER OPTIC SIGHT SET REM 2003 & EARLIER MULTI

[Rifle Parts](#) > [Sights](#) > [Sight Sets](#)

Contrasting red front and green rear, fiber optic dots offer quick sight alignment; won't wash out in bright light, improve contrast in low light. Fully adjustable, "U"-notch, rear sight gives precise alignment for long range shots. Replaces factory sights with only minor fitting. Machined from aircraft aluminum for years of service.



Attributes

- Name: [WILLIAMS GUN SIGHT REMINGTON FIBER OPTIC SIGHT SET REM 2003 & EARLIER MULTI](#)
- Manufacturer: [WILLIAMS GUN SIGHT](#)
- Product no.: 962000083
- Mfr. No.: 70916
- Colour: Multi
- Model: Universal Shotguns
- Sight Color: Red/Green
- Style: Fiber Optic
- Weapon type: Remington
- Delivery weight: 0.027kg
- Shipping height: 30mm
- Shipping width: 99mm
- Shipping length: 152mm
- UPC: 053506709168

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for REMINGTON SIGHT SET REM 2003 & EARLIER
- About Us

Safety Instruction Guide for REMINGTON SIGHT SET REM 2003 & EARLIER

Introduction

Thank you for purchasing the REMINGTON SIGHT SET REM 2003 & EARLIER. This guide provides essential safety instructions and information to ensure the safe and effective use of your product. Please read this manual carefully before installation and use.

General Safety Guidelines

- Ensure that you are familiar with the local laws and regulations regarding the use of firearm accessories in your area.
- Always handle the sight set with care to avoid damage.
- Keep this product out of reach of children and unauthorized users.
- Regularly inspect the sight set for any signs of wear or damage before use.
- Report any unsafe products or accidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Do not use the sight set if it is damaged or shows signs of wear.
- Ensure that the sight set is properly installed before using your firearm.
- Avoid using the sight set in extreme weather conditions that could impair visibility or functionality.
- Always wear appropriate eye protection when using firearms equipped with this sight set.
- Do not modify the sight set in any way, as this may compromise its safety and effectiveness.
- Be aware of your surroundings and ensure a safe shooting environment.

Instructions for Installation and Usage

Installation

1. **Prepare Your Firearm:** Ensure that your firearm is unloaded and pointed in a safe direction.
2. **Remove Factory Sights:** Carefully remove the existing factory sights from your firearm.
3. **Align the New Sight Set:** Position the REMINGTON SIGHT SET on your firearm, ensuring proper alignment.
4. **Secure the Sight:** Use appropriate tools to securely fasten the sight set to your firearm.
5. **Check Alignment:** Verify that the sight set is aligned correctly for optimal performance.

Usage

- **Adjusting the Sight:**
 - The rear sight is fully adjustable. Use the adjustment tools provided to achieve precise alignment.
 - Adjust the rear sight using the "U"notch for longrange shots.
- **Sight Activation:**
 - The contrasting red front and green rear fiber optic dots will enhance sight alignment in various lighting conditions.
 - Ensure that the sight is clean and free from obstructions for optimal visibility.

Disposal Instructions

- Dispose of the sight set in accordance with local regulations.
- Do not dispose of the sight set in household waste.
- If the sight set is damaged or beyond repair, consider recycling materials where appropriate.

Contact Information for Further Support

For any inquiries or support regarding the REMINGTON SIGHT SET REM 2003 & EARLIER, please refer to the manufacturer's contact information provided with your product packaging.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk