

# RIFLE STREAMLINED RAMP HOOD BLACK

[Rifle Parts](#) > [Sights](#) > [Sight Parts](#) > [Hoods](#)

## Long & Graceful

Polished and Blued Steel. Sweat-on models have one attaching screw. Screw-on models have 2 attaching screws; one under sight and one on ramp. Hole spacing on Remington models matches factory drilled and tapped barrels.



## Attributes

- Name: [RIFLE STREAMLINED RAMP HOOD BLACK](#)
- Manufacturer: [WILLIAMS GUN SIGHT](#)
- Product no.: 962020097
- Mfr. No.: 001690
- Color: Black
- Make: Universal Rifles
- Delivery weight: 0.023kg
- Shipping height: 25mm
- Shipping width: 28mm
- Shipping length: 94mm
- UPC: 053506016907

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for RIFLE STREAMLINED RAMP HOOD
- About Us

# Safety Instruction Guide for RIFLE STREAMLINED RAMP HOOD

## Introduction

Thank you for purchasing the RIFLE STREAMLINED RAMP HOOD. This guide provides essential safety instructions to ensure the safe and effective use of this product. Please read the entire guide carefully before installation and use.

## General Safety Guidelines

- Ensure the product is suitable for your specific rifle model before installation.
- Always handle firearms with care and follow all safety protocols.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for wear and damage before each use.
- Report any unsafe products or accidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Use only the recommended screws for installation to ensure a secure fit.
- Do not exceed the specified screw hole spacing when installing the ramp hood.
- Avoid using the ramp hood in extreme weather conditions that may affect its performance.
- Do not modify the product in any way, as this may compromise safety.
- Ensure that the ramp hood does not obstruct your line of sight while aiming.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather all necessary tools, including a screwdriver and the appropriate screws.
- Ensure your rifle is unloaded and in a safe position.

### 2. Installation:

- For sweaton models, locate the designated area on your rifle where the ramp hood will attach. Use the provided attaching screw to secure the hood in place.
- For screwon models, identify the two attaching screw locations: one under the sight and one on the ramp. Align the ramp hood with the holes and use the two screws to secure it.

### 3. Adjustment:

- After installation, check the alignment of the ramp hood with the rifle's sight.
- Make any necessary adjustments to ensure proper sight alignment.

### 4. Usage:

- When using the rifle, ensure that the ramp hood is securely attached.
- Regularly check the screws for tightness before each use.

## Disposal Instructions

- Dispose of the product in accordance with local regulations for metal and plastic waste.

- Do not dispose of the product in household waste; instead, use designated recycling facilities when available.

## **Contact Information for Further Support**

For any inquiries regarding safety or product usage, please refer to the manufacturer's website or customer service for assistance.

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)