

FOOLPROOF TARGET KNOBS - TARGET ELEVATION KNOB, LONG

[Gunsmith Tools & Supplies](#) > [Sight & Scope Installation Tools](#) > [Replacement Sight Screws](#)

All Foolproof sights (except TK models) use the Short Elevation Knob. The Long Elevation Knob is for use with Foolproof-TK target sights. The Elevation Gib Lock Knob fits both standard Foolproof and Foolproof-TK models



Attributes

- Name: [TARGET ELEVATION KNOB, LONG](#)
- Manufacturer: [WILLIAMS GUN SIGHT](#)
- Product no.: 962157240
- Mfr. No.: 11525
- Delivery weight: 0.045kg
- Shipping height: 3mm
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 053506115259

Item details

Made in USA

Table of Contents

- Startpage
- FOOLPROOF TARGET KNOBS TARGET ELEVATION KNOB, LONG Safety Instruction Guide
- About Us

FOOLPROOF TARGET KNOBS TARGET ELEVATION KNOB, LONG Safety Instruction Guide

Introduction

Thank you for choosing the FOOLPROOF TARGET KNOBS TARGET ELEVATION KNOB, LONG. This guide provides essential safety instructions and usage information to ensure a safe and effective experience with your product. Please read this guide thoroughly before installation and use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose as specified in this guide.
- Always handle the product with care to avoid injury.
- Keep the product out of reach of children and vulnerable individuals to prevent accidents.
- Regularly inspect the product for any signs of wear or damage before use.
- Report any unsafe products or incidents to the relevant authorities.

Specific Safety Precautions for Use

- **Product Compatibility:**
 - This elevation knob is designed for use with FoolproofTK target sights. Ensure compatibility before installation.
- **Installation Safety:**
 - Installation may require grinding the tip of the threads to fit certain sights. Exercise caution while performing this task to avoid injury.
- **Use of Tools:**
 - Use appropriate tools for installation. Ensure they are in good condition and suitable for the task.
- **Avoid OverTightening:**
 - Do not overtighten screws during installation, as this can damage the product and create safety hazards.
- **Inspection After Installation:**
 - After installation, check that the knob is securely attached and functions properly before using the sight.

Instructions for Installation and Usage

1. Preparation:

- Gather the necessary tools for installation, including appropriate screwdrivers and any grinding tools if needed.

2. Installation Process:

- Remove the existing elevation knob from the sight if applicable.
- Align the Long Elevation Knob with the mounting point on the sight.
- If necessary, grind the tip of the threads to ensure a proper fit. Take care to avoid excessive material removal.
- Securely attach the knob using the provided steel screws. Ensure that screws are tightened but not overtightened.

3. Usage Instructions:

- Once installed, adjust the elevation knob according to your shooting requirements.

- Regularly check the knob for secure attachment and proper function during use.

Disposal Instructions

- Dispose of the product in accordance with local regulations for metal and plastic waste.
- Do not dispose of the product in household waste. Instead, use designated recycling facilities where available.

Contact Information for Further Support

For any safety inquiries or further support, please consult the relevant authorities or the manufacturer's customer service. Ensure you have the product details available for reference.

By following these safety instructions and guidelines, you can ensure a safe and effective experience with the FOOLPROOF TARGET KNOBS TARGET ELEVATION KNOB, LONG. Thank you for your attention to safety.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at