

# FOOLPROOF TARGET KNOBS - TARGET WINDAGE KNOB, LONG

[Gunsmith Tools & Supplies](#) > [Sight & Scope Installation Tools](#) > [Replacement Sight Screws](#)

All Foolproof sights (except TK models) use the Short Elevation Knob. The Long Elevation Knob is for use with Foolproof-TK target sights. The Elevation Gib Lock Knob fits both standard Foolproof and Foolproof-TK models



## Attributes

- Name: [TARGET WINDAGE KNOB, LONG](#)
- Manufacturer: [WILLIAMS GUN SIGHT](#)
- Product no.: 962157520
- Mfr. No.: 15752
- Delivery weight: 0.009kg
- Shipping height: 1mm
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 053506157525

## Item details

Made in USA

# Table of Contents

- Startpage
- FOOLPROOF TARGET KNOBS TARGET WINDAGE KNOB, LONG
- About Us

# FOOLPROOF TARGET KNOBS TARGET WINDAGE KNOB, LONG

## Consumer Safety Instruction Guide

### Introduction

Thank you for choosing the FOOLPROOF TARGET KNOBS TARGET WINDAGE KNOB, LONG. This product is designed for use with FoolproofTK target sights. It is essential to follow the safety instructions provided in this guide to ensure safe and effective use.

### General Safety Guidelines

- Ensure the product is suitable for your specific sight model before installation.
- Always handle the knob with care to avoid personal injury or damage to your equipment.
- Store the product in a dry place away from direct sunlight and extreme temperatures.
- Regularly check the product for wear and tear, and replace it if any damage is evident.
- Keep this product out of reach of children and vulnerable individuals to prevent accidents.

### Specific Safety Precautions for Use

- This product is designed for use by individuals aged 18 and older.
- Use protective eyewear when installing or adjusting the knob to prevent injury from metal shavings or other debris.
- If you experience any discomfort or issues while using the product, discontinue use immediately and consult a professional.
- Ensure that all screws are properly tightened before use to prevent the knob from loosening during operation.

### Instructions for Installation and Usage

#### 1. Preparation

- Gather all necessary tools, including a screwdriver and any additional tools required for fitting.
- Ensure that the work area is clean and free of distractions.

#### 2. Installation Steps

- Remove the existing knob from your sight using a screwdriver.
- Take the FOOLPROOF TARGET KNOB and align it with the threads of the sight.
- If necessary, grind the tip of the threads to ensure proper fitting. This may be required for some sight models.
- Screw the knob into place, ensuring it is secure but not overtightened.
- Check the alignment and functionality of the knob before using the sight.

#### 3. Usage

- Adjust the windage settings using the knob as needed for accurate targeting.
- Regularly check the knob's tightness during use, especially after extensive shooting sessions.

### Disposal Instructions

- Dispose of the product in accordance with local regulations regarding metal and plastic waste.
- Do not dispose of the product in household waste. Instead, seek out a recycling facility that accepts metal and plastic materials.

## **Contact Information for Further Support**

For any questions or concerns regarding the FOOLPROOF TARGET KNOBS TARGET WINDAGE KNOB, LONG, please refer to the manufacturer's contact information provided with the product packaging or visit the manufacturer's website for support.

## **Conclusion**

By following these safety instructions, you can ensure that your use of the FOOLPROOF TARGET KNOBS TARGET WINDAGE KNOB, LONG is safe and effective. Always prioritize safety and consult professionals if you are unsure about any aspect of installation or usage. Thank you for your attention to these important guidelines.

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)