

RIFLE BEAD 1/16" NARROW FRONT SIGHT - WILLIAMS GUN SIGHT .250" BEAD 1/16" NARROW FRONT SIGHT BRASS GOLD

[Rifle Parts](#) > [Sights](#) > [Front Sights](#)

All-Metal Beads For Ramps & Dovetailed Barrels

Thin, streamlined, almost invisible blade with a machined bead gives a crisp, highly visible sight picture.



Attributes

- Name: [WILLIAMS GUN SIGHT .250" BEAD 1/16" NARROW FRONT SIGHT BRASS GOLD](#)
- Manufacturer: [WILLIAMS GUN SIGHT](#)
- Product no.: 962161250
- Mfr. No.: 001610
- Colour: Gold
- Height: .260
- Material: Brass
- Style: Bead
- Weapon type: Universal Rifles
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 053506016105

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for RIFLE BEAD 1/16" NARROW FRONT SIGHT](#)
- [About Us](#)

Safety Instruction Guide for RIFLE BEAD 1/16" NARROW FRONT SIGHT

Introduction

Thank you for choosing the RIFLE BEAD 1/16" NARROW FRONT SIGHT by WILLIAMS GUN SIGHT. This guide provides essential safety instructions to ensure the safe and effective use of your product. Please read this document carefully and keep it for future reference.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always handle firearms and accessories with care and follow all safety protocols.
- Keep out of reach of children and unauthorized users.
- Regularly check for product recalls and safety updates on the EU's Safety Gate platform.
- Report any unsafe products or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Inspect the front sight before each use for any signs of damage or wear.
- Ensure that the sight is securely attached to the firearm before use.
- Use only compatible firearms as specified in the product description.
- Avoid using the firearm in wet or slippery conditions to prevent accidents.
- Do not modify the product in any way, as this may compromise safety.
- Always wear appropriate eye protection when using firearms.

Instructions for Installation and Usage

Installation

1. Prepare the Firearm:

- Ensure the firearm is unloaded and safe to handle before installation.
- Place the firearm on a stable surface.

2. Remove the Existing Sight:

- If applicable, remove the current front sight using appropriate tools.
- Clean the dovetail area to remove any debris.

3. Install the RIFLE BEAD:

- Align the dovetail of the RIFLE BEAD with the dovetail slot on the firearm.
- Gently tap the sight into place using a soft mallet, ensuring it is secure.

4. Check Alignment:

- Verify that the sight is aligned properly with the rear sight.
- Make any necessary adjustments before using the firearm.

Usage

- Always ensure proper handling of the firearm when aiming and shooting.
- Familiarize yourself with the sight picture provided by the RIFLE BEAD for accurate shooting.

- Practice regularly to enhance your shooting skills and comfort with the sight.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste.
- Consider recycling options for the materials if available.

Contact Information for Further Support

For any inquiries regarding safety or product support, please consult the manufacturer's website or customer service for assistance.

By following these guidelines, you can help ensure a safe and enjoyable experience with your RIFLE BEAD 1/16" NARROW FRONT SIGHT. Thank you for prioritizing safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk