

# RIFLE BEAD 1/16" NARROW FRONT SIGHT - .312" BEAD 1/16" NARROW FRONT SIGHT BRASS GOLD

[Rifle Parts](#) > [Sights](#) > [Front Sights](#)

## All-Metal Beads For Ramps & Dovetailed Barrels

Thin, streamlined, almost invisible blade with a machined bead gives a crisp, highly visible sight picture.



## Attributes

- Name: [.312" BEAD 1/16" NARROW FRONT SIGHT BRASS GOLD](#)
- Manufacturer: [WILLIAMS GUN SIGHT](#)
- Product no.: 962161310
- Mfr. No.: 001612
- Color: Gold
- Height: .312
- Make: Universal Rifles
- Material: Brass
- Style: Bead
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 053506016129

## Item details

Made in USA

# Table of Contents

- Startpage
- RIFLE BEAD 1/16" NARROW FRONT SIGHT Safety Instructions
- About Us

# RIFLE BEAD 1/16" NARROW FRONT SIGHT Safety Instructions

## Introduction

Thank you for choosing the RIFLE BEAD 1/16" NARROW FRONT SIGHT. This product is designed to enhance your shooting experience by providing a clear and highly visible sight picture. To ensure your safety and the safety of others, please read and follow these safety instructions carefully.

## General Safety Guidelines

- Product Safety:
  - Ensure safe use by following all guidelines provided in this manual.
  - Be aware of risks associated with improper use or installation.
- Enhanced Recalls:
  - Stay informed about any recall notices related to this product.
- Online Shopping:
  - If purchased online, ensure that the seller complies with safety requirements.
- Special Consumer Focus:
  - Extra caution should be taken when this product is used by or around children.
- EU Contact Point:
  - For any safety inquiries, please refer to the designated EU contact point.
- Rapid Alerts:
  - Monitor the EU's Safety Gate platform for updates on unsafe products.

## Specific Safety Precautions for Use

- Always ensure the firearm is unloaded before installing or adjusting the sight.
- Inspect the sight for any damage before use. Do not use if damaged.
- Ensure that the sight is properly secured to prevent it from loosening during use.
- Use the sight only for its intended purpose as specified in this manual.
- Keep the sight and all firearm components out of reach of children.
- Always wear appropriate protective gear, such as eye protection, when using firearms.
- Be aware of your surroundings and ensure a safe shooting environment.

## Instructions for Installation and Usage

### Installation

#### 1. Prepare the Firearm:

- Ensure that the firearm is completely unloaded.

- Remove any existing front sight if applicable.

## 2. Check Compatibility:

- Confirm that the RIFLE BEAD 1/16" NARROW FRONT SIGHT is compatible with your firearm model.

## 3. Install the Sight:

- Align the dovetail base of the sight with the dovetail slot on the firearm.
- Gently tap the sight into place using a nonmarring tool, ensuring it is seated firmly.
- Ensure the sight is level and aligned with the barrel.

## 4. Secure the Sight:

- If applicable, use any provided screws or fasteners to secure the sight in place.
- Ensure all fasteners are tightened to prevent movement during use.

## Usage

- When aiming, align the bead with your target for improved accuracy.
- Practice using the sight in a safe environment to become familiar with its function.
- Regularly check the sight for any signs of wear or looseness, especially after heavy use.

## Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of in regular household waste.
- Consider recycling options for metal components when possible.

## Contact Information for Further Support

For further assistance or inquiries regarding the RIFLE BEAD 1/16" NARROW FRONT SIGHT, please refer to the designated EU contact point for safety inquiries.

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)