

RIFLE BEAD 3/32" NARROW FRONT SIGHT - .312" BEAD 3/32" NARROW FRONT SIGHT BRASS GOLD

[Rifle Parts](#) > [Sights](#) > [Front Sights](#)

Thin, streamlined, almost invisible blade with a machined bead gives a crisp, highly visible sight picture.



Attributes

- Name: [.312" BEAD 3/32" NARROW FRONT SIGHT BRASS GOLD](#)
- Manufacturer: [WILLIAMS GUN SIGHT](#)
- Product no.: 962165310
- Mfr. No.: 001619
- Color: Gold
- Height: .312
- Make: Universal Rifles
- Material: Brass
- Style: Bead
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 005350016190

Item details

Made in USA

Table of Contents

- Startpage
- RIFLE BEAD 3/32" NARROW FRONT SIGHT Safety Instruction Guide
- About Us

RIFLE BEAD 3/32" NARROW FRONT SIGHT Safety Instruction Guide

Introduction

Thank you for choosing the RIFLE BEAD 3/32" NARROW FRONT SIGHT. This guide provides essential safety information and instructions to ensure the proper use and maintenance of your front sight. It is crucial to follow these guidelines to ensure your safety and the safety of others.

General Safety Guidelines

- Always treat your firearm with respect and ensure it is handled safely.
- Ensure that the front sight is installed correctly to avoid misalignment that could lead to accidents.
- Regularly inspect the front sight for any signs of wear or damage.
- Store firearms and accessories in a secure location, out of reach of children and unauthorized users.
- Use the front sight only with firearms that are compatible with its specifications.
- Be aware of your surroundings and always follow local laws regarding firearm usage.

Specific Safety Precautions for Use

• Potential Hazards:

- Improper installation may lead to misfires or inaccurate shooting.
- Use of incompatible firearms can result in damage or injury.
- Failure to maintain the front sight may lead to reduced visibility and effectiveness.

• Instructions for Avoiding Hazards:

- Always read the manufacturer's instructions before installation and use.
- Ensure that the firearm is unloaded before installing or adjusting the front sight.
- Check that the bead is securely attached and not damaged before use.
- If you notice any issues with the front sight, discontinue use immediately and consult a professional.

• Age Specific Warnings:

- This product is intended for use by individuals aged 18 and older. Ensure that younger users are supervised by a responsible adult.

Instructions for Installation and Usage

• Installation Steps:

1. Ensure your firearm is unloaded and pointed in a safe direction.
2. Remove the existing front sight if applicable.
3. Align the RIFLE BEAD with the dovetail slot on the firearm.
4. Gently tap the sight into place using a nonmarring tool.
5. Ensure the sight is secure and properly aligned before use.

• Usage Instructions:

- Use the front sight in conjunction with a rear sight for optimal aiming.
- Adjust your shooting stance and grip to ensure stability while aiming.

- Regularly practice to become familiar with the sighting system and improve accuracy.

Disposal Instructions

- Dispose of the front sight responsibly, following local regulations for hazardous materials if applicable.
- Do not dispose of the front sight in regular household waste.
- Consider recycling metal components where facilities are available.

Contact Information for Further Support

For any questions or concerns regarding the RIFLE BEAD 3/32" NARROW FRONT SIGHT, please refer to the manufacturer's contact information included with your product packaging.

By following these safety instructions, you can ensure a safe and effective experience with your RIFLE BEAD 3/32" NARROW FRONT SIGHT. Thank you for prioritizing safety and responsible firearm use.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at