

RIFLE FIBER OPTIC 450N FRONT SIGHT - .450" FIBER OPTIC 450N FRONT SIGHT STEEL RED

[Rifle Parts](#) > [Sights](#) > [Front Sights](#)

Easy-to-install front sights for popular centerfire and muzzleloading rifles gather ambient light for superb visibility. The more light, the brighter the round, red beads glow; won't "wash out" even in the strongest sunlight. Narrow sights fit Williams Streamlined and Shorty Ramps.



Attributes

- Name: [.450" FIBER OPTIC 450N FRONT SIGHT STEEL RED](#)
- Manufacturer: [WILLIAMS GUN SIGHT](#)
- Product no.: 962564380
- Mfr. No.: 56438
- Color: Red
- Height: .450
- Make: Universal Rifles
- Material: Steel
- Style: Fiber Optic
- Delivery weight: 0.068kg
- Shipping height: 30mm
- Shipping width: 99mm
- Shipping length: 152mm
- UPC: 053506564385

Item details

Made in USA

Table of Contents

- Startpage
- RIFLE FIBER OPTIC 450N FRONT SIGHT Safety Instruction Guide
- About Us

RIFLE FIBER OPTIC 450N FRONT SIGHT Safety Instruction Guide

Introduction

Thank you for choosing the RIFLE FIBER OPTIC 450N FRONT SIGHT. This guide provides essential safety instructions to ensure the safe use and installation of your front sight. Please read this guide carefully before use to maximize safety and performance.

General Safety Guidelines

- Ensure that the front sight is installed correctly to avoid any accidents during use.
- Always handle firearms responsibly and in accordance with local laws and regulations.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly check the condition of the front sight and your firearm to ensure they are in safe working order.
- Be aware of your surroundings when using firearms equipped with this front sight.

Specific Safety Precautions for Use

- Do not use the front sight if it appears damaged or if any parts are missing.
- Avoid using the front sight in extreme weather conditions, as this may affect visibility and performance.
- Ensure that the front sight is compatible with your specific rifle model before installation.
- Always wear appropriate eye protection when using firearms.
- Be cautious of the brightness of the fiber optic insert; excessive brightness may cause temporary visual impairment.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded before beginning installation.
- Remove any existing front sight from your rifle if applicable.
- Align the RIFLE FIBER OPTIC 450N FRONT SIGHT with the nominal 3/8" dovetail on your rifle.
- Secure the sight in place according to the manufacturer's instructions, ensuring it is tightly fitted.
- Doublecheck alignment and stability before use.

2. Usage:

- When aiming, ensure that the front sight is properly aligned with the rear sight for accurate targeting.
- Adjust your shooting stance and grip to maintain control and stability while aiming.
- Practice safe shooting techniques and follow all guidelines for firearm use.

Disposal Instructions

- Dispose of this product in accordance with local regulations for hazardous materials.
- If the front sight is damaged beyond repair, consult local waste management authorities for safe disposal methods.
- Do not dispose of the product in regular household waste.

Contact Information for Further Support

For any safety inquiries or further assistance regarding the RIFLE FIBER OPTIC 450N FRONT SIGHT, please refer to the appropriate contact points established for consumer safety in your region.

Conclusion

By following these safety guidelines and instructions, you can ensure the safe and effective use of your RIFLE FIBER OPTIC 450N FRONT SIGHT. Always prioritize safety and responsibility when handling firearms. Thank you for your attention to these important safety measures.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at