

# RIFLE FIBER OPTIC 406M FRONT SIGHT - .406" FIBER OPTIC 406M FRONT SIGHT STEEL RED

[Rifle Parts](#) > [Sights](#) > [Front Sights](#)

Easy-to-install front sights for popular centerfire and muzzleloading rifles gather ambient light for superb visibility. The more light, the brighter the round, red beads glow; won't "wash out" even in the strongest sunlight. Medium sights fit most factory ramps including Marlin and Remington.



## Attributes

- Name: [.406" FIBER OPTIC 406M FRONT SIGHT STEEL RED](#)
- Manufacturer: [WILLIAMS GUN SIGHT](#)
- Product no.: 962564440
- Mfr. No.: 56444
- Color: Red
- Height: .406
- Make: Universal Rifles
- Material: Steel
- Style: Fiber Optic
- Delivery weight: 0.023kg
- Shipping height: 30mm
- Shipping width: 99mm
- Shipping length: 155mm
- UPC: 053506564446

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for RIFLE FIBER OPTIC 406M FRONT SIGHT
- About Us

# Safety Instruction Guide for RIFLE FIBER OPTIC 406M FRONT SIGHT

## Introduction

Thank you for choosing the RIFLE FIBER OPTIC 406M FRONT SIGHT. This guide provides essential safety instructions and information to ensure the safe use and installation of your new front sight. Please read this guide carefully before using the product.

## General Safety Guidelines

- Ensure that the product is installed correctly to avoid accidents or injuries.
- Always handle firearms responsibly and in accordance with local laws and regulations.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the front sight for any signs of wear or damage.
- Report any unsafe products or incidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Only use the RIFLE FIBER OPTIC 406M FRONT SIGHT with compatible rifles.
- Avoid using the product in conditions that may impair visibility, such as fog or heavy rain.
- Do not modify the front sight in any way, as this may compromise safety and functionality.
- Ensure that the sight is securely attached before using the rifle.
- Be aware of your surroundings and ensure a clear shooting area when using your rifle.

## Instructions for Installation and Usage

### Installation Instructions

1. **Gather Tools:** Ensure you have the necessary tools for installation, including a screwdriver suitable for the sight screws.
2. **Prepare the Rifle:** Ensure that the rifle is unloaded and pointed in a safe direction.
3. **Remove Existing Sight:** If applicable, carefully remove the existing front sight from the rifle.
4. **Align the Dovetail:** Fit the RIFLE FIBER OPTIC 406M FRONT SIGHT into the nominal 3/8" dovetail on the rifle.
5. **Secure the Sight:** Tighten the screws to secure the sight in place, ensuring it is firmly attached but not overtightened.
6. **Check Alignment:** Ensure the sight is aligned properly for optimal accuracy.

### Usage Instructions

- When aiming, ensure that the front sight is clearly visible and properly aligned with the target.
- Adjust your shooting stance and position for maximum stability and accuracy.
- Always follow safe shooting practices and guidelines.

## Disposal Instructions

- Dispose of the product in accordance with local regulations regarding electronic and metal waste.
- Do not dispose of the product in regular household waste.
- If the product is damaged or no longer usable, contact local waste management services for proper disposal methods.

## **Contact Information for Further Support**

For any questions or concerns regarding the RIFLE FIBER OPTIC 406M FRONT SIGHT, please refer to the manufacturer's contact information provided in the product packaging or visit the official website for additional resources and support.

Thank you for your attention to these safety instructions. Enjoy your shooting experience safely and responsibly.

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)