

RIFLE FIBER OPTIC 538M FRONT SIGHT - WILLIAMS GUN SIGHT

.538" FIBER OPTIC 538M FRONT SIGHT STEEL RED

[Rifle Parts](#) > [Sights](#) > [Front Sights](#)

Easy-to-install front sights for popular centerfire and muzzleloading rifles gather ambient light for superb visibility. The more light, the brighter the round, red beads glow; won't "wash out" even in the strongest sunlight. Medium sights fit most factory ramps including Marlin and Remington.



Attributes

- Name: [WILLIAMS GUN SIGHT .538" FIBER OPTIC 538M FRONT SIGHT STEEL RED](#)
- Manufacturer: [WILLIAMS GUN SIGHT](#)
- Product no.: 962564460
- Mfr. No.: 60237
- Colour: Red
- Height: .538
- Material: Steel
- Style: Fiber Optic
- Weapon type: Universal Rifles
- Delivery weight: 0.023kg
- Shipping height: 23mm
- Shipping width: 99mm
- Shipping length: 150mm
- UPC: 053506602377

Item details

Made in USA

Table of Contents

- Startpage
- RIFLE FIBER OPTIC 538M FRONT SIGHT SAFETY INSTRUCTIONS
- About Us

RIFLE FIBER OPTIC 538M FRONT SIGHT SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the RIFLE FIBER OPTIC 538M FRONT SIGHT by WILLIAMS GUN SIGHT. This product is designed to enhance your shooting experience by providing excellent visibility in various lighting conditions. To ensure safe and effective use, please read this safety instruction guide carefully.

General Safety Guidelines

- Ensure the product is suitable for your specific firearm model before installation.
- Always handle firearms responsibly and in accordance with local laws and regulations.
- Keep the front sight and all firearm components clean and free from obstructions.
- Store the product in a safe place, away from children and unauthorized users.
- Regularly check for wear and tear on your front sight to ensure optimal performance.
- Report any unsafe products or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Do not use the front sight if it is damaged or shows signs of wear.
- Ensure that the sight is properly secured before using your firearm.
- Avoid using the firearm in extreme weather conditions that may affect visibility or performance.
- Do not modify the front sight in any way, as this may compromise safety and performance.
- Always wear appropriate eye protection when using firearms.

Instructions for Installation and Usage

1. Installation

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove any existing front sight according to the manufacturer's instructions.
- Align the RIFLE FIBER OPTIC 538M FRONT SIGHT with the dovetail slot on your firearm.
- Gently tap the sight into place using a nonmarring tool, ensuring it fits snugly.
- Confirm that the sight is level and securely attached before use.

2. Usage

- Familiarize yourself with the sighting system before engaging in live shooting.
- Use the sight in good lighting conditions to take full advantage of its fiber optic feature.
- Practice shooting at various distances to understand the sight's performance.
- Regularly check the sight's alignment and condition before each use.

Disposal Instructions

- Dispose of the product in accordance with local regulations for electronic and metal waste.
- Do not dispose of the product in regular household waste; instead, take it to a designated recycling facility.
- Ensure that all parts of the product are disposed of safely to prevent environmental harm.

Contact Information for Further Support

For any questions or concerns regarding the RIFLE FIBER OPTIC 538M FRONT SIGHT, please reach out to the manufacturer or your point of purchase for assistance.

Conclusion

Following these safety instructions will help ensure a safe and enjoyable experience with your RIFLE FIBER OPTIC 538M FRONT SIGHT. Always prioritize safety and responsible firearm handling. Thank you for your attention to these guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk