

RIFLE FIBER OPTIC 450W FRONT SIGHT - .450" FIBER OPTIC 450W FRONT SIGHT STEEL RED

[Rifle Parts](#) > [Sights](#) > [Front Sights](#)

Easy-to-install front sights for popular centerfire and muzzleloading rifles gather ambient light for superb visibility. The more light, the brighter the round, red beads glow; won't "wash out" even in the strongest sunlight. Wide sights are for .22 rimfire rifles and muzzleloaders. Mauser 98 model for .200 dovetail.



Attributes

- Name: [.450" FIBER OPTIC 450W FRONT SIGHT STEEL RED](#)
- Manufacturer: [WILLIAMS GUN SIGHT](#)
- Product no.: 962590790
- Mfr. No.: 59079
- Color: Red
- Height: .450
- Make: Universal Rifles
- Material: Steel
- Style: Fiber Optic
- Delivery weight: 0.027kg
- Shipping height: 30mm
- Shipping width: 99mm
- Shipping length: 152mm
- UPC: 053506590797

Item details

Made in USA

Table of Contents

- Startpage
- RIFLE FIBER OPTIC 450W FRONT SIGHT Safety Instruction Guide
- About Us

RIFLE FIBER OPTIC 450W FRONT SIGHT Safety Instruction Guide

Introduction

Thank you for choosing the RIFLE FIBER OPTIC 450W FRONT SIGHT. This guide provides essential safety instructions and information to ensure the proper use and installation of your new front sight. Please read this guide carefully to understand how to use the product safely and effectively.

General Safety Guidelines

- Always ensure that your rifle is unloaded before installing or handling the front sight.
- Use the front sight only for its intended purpose on compatible rifles.
- Keep the front sight and all firearm accessories out of reach of children and unauthorized users.
- Regularly inspect the front sight for any signs of damage or wear. Do not use if damaged.
- Follow all applicable laws and regulations when using firearms and accessories.

Specific Safety Precautions for Use

- Ensure the ambient light conditions are suitable for optimal visibility with the fiber optic sight.
- Avoid using the front sight in extreme weather conditions that may impair visibility or safety.
- Do not attempt to modify or alter the front sight in any way.
- Always wear appropriate eye protection when using firearms equipped with the front sight.
- Be aware of your surroundings and ensure a safe shooting environment at all times.

Instructions for Installation and Usage

1. Installation:

- Ensure the rifle is unloaded and safe before installation.
- Locate the dovetail slot on your rifle where the front sight will be installed.
- Align the front sight with the dovetail slot, ensuring it fits securely.
- Gently tap the sight into place using a nonmarring tool if necessary.
- Verify that the sight is firmly installed and does not move.

2. Usage:

- Position yourself in a stable shooting stance.
- Align the fiber optic sight with your target, ensuring proper sight picture.
- Maintain focus on the target while keeping the front sight in view.
- Follow safe shooting practices and adhere to all local laws and regulations.

Disposal Instructions

- Dispose of the product in accordance with local regulations for electronic and metal waste.
- Do not dispose of the front sight in regular household waste.
- Contact local waste management authorities for guidance on proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the RIFLE FIBER OPTIC 450W FRONT SIGHT, please refer to the manufacturer's contact information provided with your product packaging.

Conclusion

By following these safety instructions, you can ensure the safe and effective use of your RIFLE FIBER OPTIC 450W FRONT SIGHT. Always prioritize safety and compliance with local laws when using firearms and accessories. Thank you for your attention to these important guidelines.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at