

WGOS BASE .730-.830" BBL DIAMETER BLACK .290"

[Rifle Parts](#) > [Sights](#) > [Sight Parts](#) > [Rear Sight Bases](#)

Precision-made sight bases and blades milled from high-tensile strength, rustproof alloy. Dovetailed windage and elevation adjustments have hardened gib locks. Make adjustments quickly by loosening one screw. No dovetailing of barrel necessary. Bases sold separately.



Attributes

- Name: [WGOS BASE .730-.830" BBL DIAMETER BLACK .290"](#)
- Manufacturer: [WILLIAMS GUN SIGHT](#)
- Product no.: 962607000
- Mfr. No.: 1568
- Color: Black
- Height: .290
- Make: Universal Rifles
- Delivery weight: 0.014kg
- Shipping height: 1mm
- Shipping width: 64mm
- Shipping length: 109mm
- UPC: 053506015689

Item details

Made in USA

Table of Contents

- Startpage
- WGOS BASE Safety Instruction Guide
- About Us

WGOS BASE Safety Instruction Guide

Introduction

Thank you for choosing the WGOS BASE .730.830" BBL DIA. This product is designed for precision and safety. Please read this safety instruction guide carefully to ensure safe use and compliance with EU safety regulations.

General Safety Guidelines

- Always handle firearms and accessories with care.
- Ensure that the WGOS BASE is compatible with your firearm model.
- Inspect the product for any visible damage before installation.
- Follow all local laws and regulations regarding firearm accessories.
- Keep this product out of reach of children and unauthorized users.
- Report any unsafe product experiences to the relevant authorities.

Specific Safety Precautions for Use

- Do not attempt to modify or alter the WGOS BASE in any way.
- Ensure that the sight base is securely attached before use.
- Regularly check for wear or damage to the sight base and blades.
- Avoid using the product in extreme weather conditions that may compromise safety.
- Always use the appropriate tools for installation and adjustments to prevent injury.

Instructions for Installation and Usage

1. Preparation:

- Ensure your firearm is unloaded and pointed in a safe direction.
- Gather necessary tools (screwdriver, wrench, etc.).

2. Installation:

- Select the appropriate WGOS BASE size based on your barrel diameter:
 - Small: .347" radius, fits .660" to .730" dia. barrels.
 - Medium: .395" radius, fits .730" to .830" dia. barrels.
 - Large: .440" radius, fits .830" to .930" dia. barrels.
 - XLarge: .5625" ctoc hole spacing, .475" radius, fits .900" to 1" dia. barrels.
 - One Inch: 1" ctoc hole spacing, .500" radius, fits 1" dia. barrels.
 - 26mm: .550" radius, fits 1" to 1.1" dia. barrels.
- Align the WGOS BASE with the barrel, ensuring it fits securely.
- Use the provided screws to attach the sight base, ensuring they are tightened but not overtorqued.

3. Adjustment:

- Use the windage and elevation adjustments to align your sight. Loosen one screw to make quick adjustments.
- Ensure that all adjustments are secure before use.

4. Post Installation Check:

- After installation, doublecheck that the sight base is firmly attached and that there are no loose parts.

- Test the sight alignment before actual use.

Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- If the WGOS BASE becomes damaged beyond repair, dispose of it in a way that prevents unauthorized use.
- Recycle materials where possible to minimize environmental impact.

Contact Information for Further Support

For safety inquiries or assistance, please refer to the manufacturer's contact information provided with your product.

By following these guidelines, you can ensure safe and effective use of the WGOS BASE. Thank you for your attention to safety and compliance with the EU General Product Safety Regulation.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at