

1911 GRIP SCREW BUSHING - WILSON COMBAT 1911 GRIP SCREW BUSHING, BLUE

[Handgun Parts](#) > [Grip Parts](#) > [Grip Bushings](#)

Standard thickness grip screw bushings are a direct replacement for one that is damaged or stripped during use. Note: Most factory installed bushings require removal of rear staking for new bushing installation. Re-staking or loctite 271 are acceptable ways to secure your new bushing in the frame. Sold as a set of 4.



Attributes

- Name: [WILSON COMBAT 1911 GRIP SCREW BUSHING, BLUE](#)
- Manufacturer: [WILSON COMBAT](#)
- Product no.: 965000207
- Mfr. No.: 684B
- Model: Commander, Government, Officers
- Weapon type: 1911
- Delivery weight: 0.005kg
- Shipping height: 3mm
- Shipping width: 51mm
- Shipping length: 76mm
- UPC: 811826020048

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 1911 Grip Screw Bushing
- About Us

Safety Instruction Guide for 1911 Grip Screw Bushing

Introduction

Thank you for choosing the 1911 Grip Screw Bushing from Wilson Combat. This product is designed to replace damaged or stripped grip screw bushings in 1911style firearms. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Always ensure that the firearm is unloaded before attempting to replace the grip screw bushings.
- Use protective eyewear when working with tools and small parts.
- Keep the work area clean and free of distractions to avoid accidents.
- Ensure that tools used for installation are in good condition and appropriate for the task.
- Be aware of the potential hazards associated with firearms and their components.

Specific Safety Precautions for Use

- Ensure that the new bushings are compatible with your specific model of the 1911 (Government, Commander, Officers).
- Handle the bushings carefully to avoid dropping or damaging them.
- If you are unfamiliar with firearm maintenance, consider seeking assistance from a qualified gunsmith.
- Always follow the manufacturer's instructions for installation and maintenance.

Instructions for Installation and Usage

1. Preparation

- Gather the necessary tools: a punch tool, hammer, and Loctite 271 (if needed).
- Ensure your firearm is completely unloaded and secure.

2. Removing Old Bushings

- Carefully remove the grip panels from the firearm.
- Use a punch tool to drive out the damaged or stripped bushings from the frame.
- Take care not to damage the frame during removal.

3. Installing New Bushings

- Align the new grip screw bushings with the holes in the frame.
- Gently tap the new bushings into place using a punch tool and hammer.
- Ensure that the bushings are flush with the frame.

4. Securing the Bushings

- If your firearm requires it, apply a small amount of Loctite 271 to the threads of the bushings.
- Restaking the bushings may be necessary for added security. Follow manufacturer guidelines for this process.

5. Reattaching Grip Panels

- Once the bushings are securely installed, reattach the grip panels to the firearm.
- Ensure all screws are tightened properly but do not overtighten to avoid damaging the bushings.

Disposal Instructions

- Dispose of any old or damaged bushings in accordance with local regulations.
- Do not dispose of firearms or firearm components in regular household waste. Contact local authorities for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the 1911 Grip Screw Bushing, please refer to the manufacturer's website or contact their customer support for assistance.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk