

VICKERS ELITE SNAG FREE TRITIUM FRONT SIGHTS FOR GLOCK® - WILSON COMBAT VICKERS ELITE FRONT SIGHT TRITIUM .230" HEIGHT

[Handgun Parts](#) > [Sights](#) > [Front Sights](#)

Snag Free Front Sights for Glock® are available with a tritium insert. The .245" fits 9mm, .40, .357 and .45 GAP Glocks. The 45 acp and 10 mm will require the .230" height sight Sights include front sight wrench for installation.



Attributes

- Name: [WILSON COMBAT VICKERS ELITE FRONT SIGHT TRITIUM .230" HEIGHT](#)
- Manufacturer: [WILSON COMBAT](#)
- Product no.: 965000220
- Mfr. No.: 668TF230
- Colour: Green
- Height: .230
- Outline: None
- Style: Night Sight
- Weapon type: Glock
- Width: .125
- Delivery weight: 0.016kg
- Shipping height: 25mm
- Shipping width: 76mm
- Shipping length: 127mm
- UPC: 874218009380

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Vickers Elite Snag Free Tritium Front Sights for Glock® Safety Instruction Guide](#)
- [About Us](#)

Vickers Elite Snag Free Tritium Front Sights for Glock® Safety Instruction Guide

Introduction

Thank you for choosing the Vickers Elite Snag Free Tritium Front Sights for your Glock®. This guide provides essential safety instructions, installation guidelines, and general information to ensure safe and effective use of your product. Please read this document carefully before using the sights.

General Safety Guidelines

- Always ensure that the firearm is unloaded before installing or handling the sights.
- Use the sights only on compatible Glock® models as specified in the product description.
- Inspect the sights regularly for any signs of wear or damage.
- Store the sights in a safe place, away from children and unauthorized users.
- If you experience any issues with the sights, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- **Installation Safety:** Use the included front sight wrench to avoid injury during installation.
- **Handling:** Always handle your firearm with care and follow basic firearm safety rules.
- **Visibility:** Ensure that the tritium insert is functioning correctly for optimal visibility in lowlight conditions.
- **Compatibility:** Confirm that the height of the sight (.230") is appropriate for your specific model before installation.
- **User Responsibility:** Understand that the user is responsible for the safe operation of the firearm equipped with these sights.

Instructions for Installation and Usage

Installation Steps

1. **Prepare the Firearm:** Ensure the firearm is unloaded and pointed in a safe direction.
2. **Remove the Existing Sight:** Use the front sight wrench to carefully remove the factory installed sight.
3. **Install the New Sight:**
 - Align the new Vickers Elite front sight with the slide.
 - Press down gently and secure it in place using the front sight wrench.
4. **Check Alignment:** Ensure the sight is properly aligned with the rear sight for accurate aiming.
5. **Test the Sight:** Once installed, test the sight in a safe environment to ensure it functions as intended.

Usage Tips

- Familiarize yourself with the sight's features before use.
- Practice aiming with the new sights to improve accuracy and comfort.
- Regularly check the tritium insert for brightness; replace the sight if the tritium is no longer visible.

Disposal Instructions

- Dispose of the sights in accordance with local regulations.
- If the sights are damaged or no longer functional, do not attempt to repair them.
- Contact local waste management services for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the Vickers Elite Snag Free Tritium Front Sights, please refer to the manufacturer's customer service resources.

Conclusion

By following these safety instructions and guidelines, you can ensure a safe and effective experience with your Vickers Elite Snag Free Tritium Front Sights. Thank you for prioritizing safety and responsible firearm handling.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk