

1911 GOVERNMENT FLAT WIRE RECOIL SPRINGS - WILSON COMBAT 5" FLAT WIRE RECOIL SPRING CS 13 LB

[Handgun Parts](#) > [Recoil Parts](#) > [Recoil Springs](#)

The longest lasting handgun recoil spring made. Our testing has indicated that these springs have a service life up to ten times greater than conventional coil springs. Improves Cycling and Overall Operation Improved Recoil Spring Life Requires .250" Diameter Spring Guide 24lb 10mm/460 Rowland loads 20ln .45 ACP +P loads 17lb .45 ACP Hardball loads .15lb 38 Super +P or .45 ACP Target loads 13lb 9mm/.38 Super loads



Attributes

- Name: [WILSON COMBAT 5" FLAT WIRE RECOIL SPRING CS 13 LB](#)
- Manufacturer: [WILSON COMBAT](#)
- Product no.: 965000255
- Mfr. No.: 614G13
- Model: Government
- Pounds: 13 lbs
- Weapon type: 1911
- Delivery weight: 0.036kg
- Shipping height: 8mm
- Shipping width: 97mm
- Shipping length: 229mm
- UPC: 811826021564

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 1911 Government Flat Wire Recoil Springs
- About Us

Safety Instruction Guide for 1911 Government Flat Wire Recoil Springs

Introduction

Thank you for choosing the 1911 Government Flat Wire Recoil Springs by Wilson Combat. This guide provides important safety information to ensure the safe use and handling of this product. Please read and follow these instructions carefully to maximize safety and performance.

General Safety Guidelines

- Ensure that the recoil spring is installed correctly to avoid malfunctions.
- Always wear appropriate safety gear, including eye protection, when handling firearms.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the recoil spring for signs of wear or damage.
- Report any unsafe conditions or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Only use the recoil spring with firearms specifically designed for 1911 models.
- Ensure that the spring is compatible with the caliber and load specifications of your firearm.
- Avoid using the spring with excessive loads that exceed the specified limits.
- Do not attempt to modify or alter the recoil spring in any way.
- Always follow the manufacturer's recommendations for installation and maintenance.

Instructions for Installation and Usage

1. Preparation:

- Ensure that the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools for installation, including a spring guide that meets the .250" diameter requirement.

2. Installation:

- Remove the existing recoil spring from the firearm.
- Carefully install the new 1911 Government Flat Wire Recoil Spring, ensuring it is seated properly on the spring guide.
- Confirm that the spring is aligned correctly and does not interfere with any moving parts.

3. Usage:

- Use the firearm in accordance with all safety protocols and guidelines.
- Regularly clean and maintain your firearm and the recoil spring to ensure optimal performance.
- Monitor the recoil spring for any signs of fatigue or failure, such as deformation or rust.

Disposal Instructions

- Dispose of any damaged or worn recoil springs in accordance with local regulations.
- Do not throw the recoil spring in regular trash. Instead, check with local waste management for proper disposal methods.
- Ensure that the recoil spring is not accessible to children or unauthorized individuals during the disposal process.

Contact Information for Further Support

For questions or concerns regarding the 1911 Government Flat Wire Recoil Springs, please refer to the manufacturer's website or contact customer support.

Thank you for prioritizing safety and performance with your new recoil spring. Enjoy your shooting experience responsibly!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk