

# 1911 GOVERNMENT FLAT WIRE RECOIL SPRINGS - WILSON COMBAT 5" FLAT WIRE RECOIL SPRING CS 15 LB

[Handgun Parts](#) > [Recoil Parts](#) > [Recoil Springs](#)

The longest lasting handgun recoil spring made. Our testing has indicated that these springs have a service life up to ten times greater than conventional coil springs. Improves Cycling and Overall Operation Improved Recoil Spring Life Requires .250" Diameter Spring Guide 24lb 10mm/460 Rowland loads 20ln .45 ACP +P loads 17lb .45 ACP Hardball loads .15lb 38 Super +P or .45 ACP Target loads 13lb 9mm/.38 Super loads



## Attributes

- Name: [WILSON COMBAT 5" FLAT WIRE RECOIL SPRING CS 15 LB](#)
- Manufacturer: [WILSON COMBAT](#)
- Product no.: 965000256
- Mfr. No.: 614G15
- Model: Government
- Pounds: 15 lbs
- Weapon type: 1911
- Delivery weight: 0.034kg
- Shipping height: 1mm
- Shipping width: 89mm
- Shipping length: 229mm
- UPC: 811826021571

## Item details

Made in USA

# Table of Contents

- Startpage
- 1911 Government Flat Wire Recoil Springs Safety Instruction Guide
- About Us

# 1911 Government Flat Wire Recoil Springs Safety Instruction Guide

## Introduction

Thank you for choosing the 1911 Government Flat Wire Recoil Springs by Wilson Combat. This guide provides essential safety instructions to ensure safe and effective use of the product. Please read this manual carefully before installation and use.

## General Safety Guidelines

- Ensure that you are familiar with the operation of your firearm before using this recoil spring.
- Always handle firearms with care and follow all safety protocols.
- Store the recoil springs in a cool, dry place away from direct sunlight.
- Inspect the recoil springs regularly for signs of wear or damage before use.
- Keep this product out of reach of children and unauthorized users.

## Specific Safety Precautions for Use

- Use only the specified weight of the recoil spring for your firearm model to avoid malfunction.
- Ensure that the spring guide has a diameter of .250 inches for proper fit and function.
- Do not exceed the recommended load weights for different calibers:
  - 24 lb for 10mm/460 Rowland loads
  - 20 lb for .45 ACP +P loads
  - 17 lb for .45 ACP Hardball loads
  - 15 lb for .38 Super +P or .45 ACP Target loads
  - 13 lb for 9mm/.38 Super loads
- Always wear protective eyewear when handling or shooting firearms.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure that your firearm is unloaded and pointed in a safe direction.
- Gather necessary tools for installation, including a spring guide and any required firearm tools.

### 2. Installation:

- Remove the old recoil spring from your firearm.
- Insert the new 1911 Government Flat Wire Recoil Spring into the spring guide.
- Ensure that the spring is seated properly and securely in place.

### 3. Usage:

- After installation, perform a function check to ensure that the firearm operates correctly with the new recoil spring.
- Test the firearm in a controlled environment to verify cycling and overall operation.
- Monitor the performance of the recoil spring during use and replace it if any issues arise.

## Disposal Instructions

- Dispose of old recoil springs and any packaging materials in accordance with local regulations.
- Do not dispose of recoil springs in regular household waste. Check for any recycling programs in your

area.

## **Contact Information for Further Support**

For any inquiries regarding safety or product performance, please reach out to your local authorized dealer or manufacturer support.

Thank you for your attention to these safety guidelines. Your safety and the safety of those around you is our top priority.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)