

# 1911 SLIDE STOP - WILSON COMBAT .38S/9MM SLIDE STOP, SS

[Handgun Parts](#) > [Frame Parts](#) > [Slide Catch Parts](#) > [Slide Catches](#)

## Standard Length Preferred By Combat Shooters

Exact reproduction of the standard-length, factory slide stop; the style and length most preferred by combat shooters. Made from long-wearing, hardened, heat treated steel. Precision machined pin and lip engagement surface ensures positive, last- round, slide lock open and tighter lockup with custom barrels.



## Attributes

- Name: [WILSON COMBAT .38S/9MM SLIDE STOP, SS](#)
- Manufacturer: [WILSON COMBAT](#)
- Product no.: 965102138
- Mfr. No.: 102SS
- Caliber: 38/357 Caliber (.357-.359),9 mm (.355-.356)
- Finish: Stainless Steel
- Model: Commander,Government,Officers
- Weapon type: 1911
- Delivery weight: 0.014kg
- Shipping height: 13mm
- Shipping width: 81mm
- Shipping length: 178mm
- UPC: 874218000110

## Item details

Made in USA

US export classification: 0A501.x

# Table of Contents

- [Startpage](#)
- [1911 Slide Stop Wilson Combat Safety Instruction Guide](#)
- [About Us](#)

# 1911 Slide Stop Wilson Combat Safety Instruction Guide

## Introduction

Thank you for purchasing the 1911 Slide Stop from Wilson Combat. This guide provides important safety instructions to ensure the safe use of your product. Please read this guide carefully before using the slide stop and keep it for future reference.

## General Safety Guidelines

- Ensure that the slide stop is compatible with your specific model of 1911 (Government, Commander, Officers).
- Always handle your firearm with care and follow the basic rules of firearm safety.
- Store the slide stop in a safe place, away from children and unauthorized users.
- Regularly inspect the slide stop for any signs of wear or damage.
- If you notice any irregularities, do not use the slide stop and consult a qualified gunsmith.

## Specific Safety Precautions for Use

- Before installation, ensure that the firearm is unloaded and the magazine is removed.
- Always wear eye protection when handling or working on firearms.
- Do not attempt to modify or alter the slide stop in any way, as this may compromise its safety and functionality.
- Use only the specified caliber (38/357 Caliber or 9 mm) with this slide stop.
- If you experience any issues with the slide stop during use, cease operation immediately and seek professional assistance.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure your firearm is completely unloaded.
- Gather necessary tools, including a punch tool for installation.

### 2. Installation Steps:

- Remove the existing slide stop from your firearm by pushing out the retaining pin.
- Align the new slide stop with the engagement surface and insert it into the slide.
- Ensure the pin is properly seated and secure the slide stop in place.
- Test the slide stop function by manually cycling the action of the firearm.

### 3. Usage Instructions:

- After installation, ensure that the slide stop locks the slide open after the last round.
- Regularly check the engagement surface for proper fit and function.
- Follow all standard firearm safety practices during operation.

## Disposal Instructions

- Dispose of the slide stop in accordance with local regulations for metal waste.
- Do not dispose of the slide stop in regular household waste.
- If the slide stop is damaged beyond repair, consult local authorities for proper disposal methods.

## **Contact Information for Further Support**

For any inquiries regarding safety, installation, or product performance, please reach out to your local dealer or authorized service center. It is important to ensure that you have access to accurate information and support related to your product.

Thank you for choosing Wilson Combat. Your safety is our priority.

# About Us

## Brownells UK

**Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)