

1911 HEX HEAD GRIP SCREWS - WILSON COMBAT 24 PACK H/H S/S GRIP SCREWS

[Handgun Parts](#) > [Grip Parts](#) > [Grip Screws](#)

Eliminates Burred Screw Slots

Give positive purchase for removing grip screws and prevents damaged, ragged-looking grips and screws. Turned to fit flush with most popular aftermarket grips.



Attributes

- Name: [WILSON COMBAT 24 PACK H/H S/S GRIP SCREWS](#)
- Manufacturer: [WILSON COMBAT](#)
- Product no.: 965313124
- Mfr. No.: 313SG
- Model: Commander, Government, Officers
- Weapon type: 1911
- Quantity: 24
- Delivery weight: 0.027kg
- Shipping height: 10mm
- Shipping width: 76mm
- Shipping length: 122mm
- UPC: 874218000820

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 1911 HEX HEAD GRIP SCREWS WILSON COMBAT 24 PACK
- About Us

Safety Instruction Guide for 1911 HEX HEAD GRIP SCREWS WILSON COMBAT 24 PACK

Introduction

Thank you for choosing the 1911 HEX HEAD GRIP SCREWS by Wilson Combat. This product is designed to provide a secure and reliable grip on your firearm. To ensure safe usage and compliance with the EU General Product Safety Regulation (GPSR), please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Ensure that all safety precautions are followed during the installation and usage of the grip screws.
- Keep the product out of reach of children and vulnerable individuals to prevent accidents.
- Regularly inspect the grip screws for wear or damage.
- Report any unsafe conditions or accidents related to this product to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

• Potential Hazards:

- Improper installation may lead to grip failure, which can cause injury.
- Damaged or worn screws may not hold the grip securely, posing a risk during firearm use.

• Avoiding Hazards:

- Always ensure the firearm is unloaded before attempting to install or remove grip screws.
- Use the provided Allen wrench to tighten screws securely, but avoid overtightening which can strip the screw threads or damage the grips.
- Do not use the grip screws if they show signs of damage or wear.

Instructions for Installation and Usage

1. Preparation:

- Ensure that the firearm is completely unloaded and pointed in a safe direction.
- Gather the necessary tools, including the provided Allen wrench.

2. Installation:

- Align the grip with the frame of the firearm.
- Insert the grip screws through the grip into the frame.
- Using the Allen wrench, tighten the screws until they are secure, ensuring they sit flush with the grip surface.

3. Usage:

- After installation, check the grip screws regularly to ensure they remain tight and secure.
- If you notice any looseness, immediately tighten the screws using the Allen wrench.

4. Removal:

- To remove the grip screws, use the Allen wrench to unscrew them in a counterclockwise direction.

- Carefully detach the grip from the firearm.

Disposal Instructions

- Dispose of any damaged or worn grip screws responsibly, following local regulations for metal waste.
- Do not dispose of the product in household waste.

Contact Information for Further Support

For any questions or concerns regarding the safety and usage of the 1911 HEX HEAD GRIP SCREWS, please refer to the manufacturer's contact information provided with your product packaging.

Thank you for prioritizing safety while using your new grip screws. Enjoy your purchase responsibly!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk