

# AR-15 EJECTION PORT COVER PARTS KIT ONLY - WILSON COMBAT

## AR-15 EJECTION PORT COVER PARTS KIT ONLY

[Rifle Parts](#) > [Receiver Parts](#) > [Ejection Port Cover Parts](#) > [Ejection Port Covers](#)

Quality replacement dust cover rod, c-clip and torsion spring for AR style rifles.

Changing them is very easy, but care must be taken to not lose the c-clips and to reassemble it correctly. Please read and follow the instructions below to get your new cover installed and ready to go: Push the hinge pin forward until you can see the little "c" clip, positioning it so the open end is toward you. Using small punches or a screw driver, very carefully push on each end of the clip until it pops off. It doesn't take much, so take it slow and easy. Force should not be required; the clip will be under the pin and easily removed. You can use tweezers, or a magnetic pickup, or carefully tilt the receiver until the clip comes out in your hand. Be careful it is small and is easily lost. Make note of the cover spring position. If you don't have a diagram, take a picture so you can put it back right later. Slide the hinge pin rearward, covering the spring with your hand so it is not lost when the tension is released. Keep working the rod rearward until it is clear. Go slow so you don't scratch your upper receiver. Installation is mostly reversing the above. An easy way to install the hinge pin spring is to position it with the short leg to the rear of the receiver, pointing up toward the ejection port. Push the hinge pin into the spring a bit. Grab the front part of the spring, lifting it away from the receiver and press the long leg down, allowing it to rest against the ejection port cover. Slide your hinge pin in the rest of the way. Line up the little slot on the hinge pin with the front wall of the hinge pin channel. Use the wall to slide the clip down against the pin and use a punch to push it into place. You'll hear an audible click as it engages properly.



### Attributes

- Name: [WILSON COMBAT AR-15 EJECTION PORT COVER PARTS KIT ONLY](#)
- Manufacturer: [WILSON COMBAT](#)
- Product no.: 965900019
- Mfr. No.: TR-EPD-K
- Weapon type: AR-15
- Delivery weight: 0.033kg
- Shipping height: 19mm
- Shipping width: 102mm
- Shipping length: 203mm
- UPC: 810025500283

### Item details

Made in USA

US export classification: 0A501.x

# Table of Contents

- Startpage
- AR15 Ejection Port Cover Parts Kit Safety Instructions
- About Us

# AR15 Ejection Port Cover Parts Kit Safety Instructions

## Introduction

Thank you for choosing the AR15 Ejection Port Cover Parts Kit by Wilson Combat. This kit includes a quality replacement dust cover rod, cclip, and torsion spring designed specifically for AR style rifles. Proper installation and handling are essential for safe and effective use of your firearm. Please read this safety instruction guide carefully to ensure compliance with safety standards and proper usage.

## General Safety Guidelines

- Ensure safe use of all nonfood products, including firearms and their components.
- Be aware of any risks associated with improper handling or installation.
- Always follow legal requirements and safety regulations when using firearms.
- Keep firearms and components out of reach of children and unauthorized individuals.
- Check for product recalls and safety updates regularly.

## Specific Safety Precautions for Use

- Always handle firearms with care and respect.
- Before starting installation, ensure the firearm is unloaded and pointed in a safe direction.
- Wear safety glasses to protect your eyes during installation.
- Be cautious of small parts like the cclip, which can be easily lost.
- If you are unfamiliar with firearm components, seek assistance from a qualified gunsmith.
- Do not force any parts during installation; if resistance is felt, reevaluate your approach.

## Instructions for Installation and Usage

### 1. Preparation

- Ensure your AR15 is unloaded and in a safe location.
- Gather necessary tools: small punches or a screwdriver, tweezers, and safety glasses.

### 2. Removing the Old Ejection Port Cover

- Push the hinge pin forward until you can see the cclip.
- Position the cclip so the open end is facing you.
- Using small punches or a screwdriver, carefully push on each end of the cclip until it pops off.
- Use tweezers or a magnetic pickup to retrieve the cclip, being careful not to lose it.

### 3. Noting Spring Position

- Make note of the cover spring position. If necessary, take a picture for reference later.

### 4. Removing the Hinge Pin

- Slide the hinge pin rearward, covering the spring with your hand to prevent loss.
- Continue working the rod rearward until it is clear, taking care not to scratch the upper receiver.

### 5. Installing the New Ejection Port Cover

- Position the hinge pin spring with the short leg to the rear of the receiver, pointing up toward the ejection port.

- Push the hinge pin into the spring slightly.
- Lift the front part of the spring away from the receiver and press the long leg down against the ejection port cover.
- Slide the hinge pin in completely, ensuring the little slot on the hinge pin aligns with the front wall of the hinge pin channel.
- Use a punch to push the clip down against the pin until it clicks into place.

## **Disposal Instructions**

- Dispose of any old or unused parts in accordance with local regulations.
- Ensure that small parts are kept out of reach of children and pets during disposal.

## **Contact Information for Further Support**

For any safety inquiries or further assistance, please refer to the manufacturer's contact information included with your product packaging or visit the manufacturer's website. Always ensure you are compliant with local laws and regulations regarding firearm components.

Thank you for your attention to these safety instructions. Enjoy your new AR15 Ejection Port Cover Parts Kit responsibly and safely.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)