

H&R TOPPER HAMMER SPRING - HAMMER SPRING, 1-PAK

[Shotgun Parts](#) > [Trigger Group Parts](#) > [Hammer Parts](#) > [Hammer Springs](#)

Restores Reliability & Performance

Double torsion spring restores reliable hammer strike and positive ignition on older Topper-series guns.



Attributes

- Name: [HAMMER SPRING, 1-PAK](#)
- Manufacturer: [WOLFE](#)
- Product no.: 969000069
- Mfr. No.: 30335
- Make: H&R
- Model: Topper
- Delivery weight: 0.005kg
- Shipping height: 10mm
- Shipping width: 69mm
- Shipping length: 135mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [H&R TOPPER HAMMER SPRING Safety Instruction Guide](#)
- [About Us](#)

H&R TOPPER HAMMER SPRING Safety Instruction Guide

Introduction

Thank you for choosing the H&R TOPPER HAMMER SPRING. This guide provides essential safety instructions and information for the proper use and installation of the hammer spring. Please read this guide carefully to ensure safe handling and operation.

General Safety Guidelines

- Always handle firearms and their components with care.
- Ensure that you are familiar with the operation of your shotgun before using this product.
- Store the hammer spring in a secure location, out of reach of children.
- Regularly inspect the hammer spring and associated components for wear or damage.
- Report any unsafe products or incidents to the relevant authorities.

Specific Safety Precautions for Use

- Do not use the hammer spring if it shows signs of damage or wear.
- Ensure that the hammer spring is compatible with your Topper shotgun model before installation.
- Use protective eyewear when installing or handling the hammer spring.
- Keep your work area clean and free of distractions during installation.

Instructions for Installation and Usage

1. Preparation

- Ensure the shotgun is unloaded and pointed in a safe direction.
- Gather necessary tools for installation, including screwdrivers and a clean workspace.

2. Removal of Old Hammer Spring

- Open the shotgun's action to access the hammer spring.
- Carefully remove the old hammer spring by following the manufacturer's instructions specific to your shotgun model.

3. Installation of H&R TOPPER HAMMER SPRING

- Align the new hammer spring with the hammer mechanism.
- Securely attach the hammer spring, ensuring it is seated correctly.
- Doublecheck that all connections are tight and secure.

4. Final Check

- Before using the shotgun, perform a function check to ensure proper operation.
- Follow the manufacturer's guidelines for any additional checks or maintenance.

Disposal Instructions

- Dispose of the old hammer spring and any packaging materials in accordance with local regulations.
- Do not dispose of the hammer spring in regular household waste. Check for recycling options in your area.

Contact Information for Further Support

For further assistance or inquiries regarding safety concerns, please reach out to the appropriate EUbased contact point for product safety.

By following these guidelines, you can ensure the safe and effective use of the H&R TOPPER HAMMER SPRING. Thank you for prioritizing safety and compliance with EU regulations.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at