

1911 PLUNGER TUBE SPRING - WOLFF PLUNGER TUBE SPRING, EA.

[Handgun Parts](#) > [Frame Parts](#) > [Frame Hardware](#) > [Plunger Spring Assemblies](#)

Eliminates slide stop and thumb safety failures caused by a broken plunger tube spring. Fits Colt 1911, 1911A1, 1991, Government, MK IV, Gold Cup, Commander (.45, Super .38 and 9mm), Officers .45 caliber, and Delta Elite 10mm.



Attributes

- Name: [WOLFF PLUNGER TUBE SPRING, EA.](#)
- Manufacturer: [WOLFF](#)
- Product no.: 969000124
- Mfr. No.: 26131
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 1911 Plunger Tube Spring
- About Us

Safety Instruction Guide for 1911 Plunger Tube Spring

Introduction

Thank you for purchasing the 1911 Plunger Tube Spring by Wolff. This product is designed to enhance the reliability of your Colt 1911 series firearms by eliminating slide stop and thumb safety failures caused by a broken plunger tube spring. Your safety and satisfaction are our top priorities. Please read this safety instruction guide carefully to ensure safe use and proper installation.

General Safety Guidelines

- Always handle firearms with care and follow standard safety protocols.
- Ensure the firearm is unloaded before performing any maintenance or installation.
- Use the product only as intended. Misuse can lead to serious injury or damage.
- Keep this product and any tools out of reach of children.
- Regularly inspect the plunger tube spring for wear or damage.
- If you experience any issues, cease use immediately and consult a qualified gunsmith.

Specific Safety Precautions for Use

- Do not attempt to install the plunger tube spring if you are not familiar with firearm maintenance.
- Always wear safety glasses when working on firearms to protect your eyes from potential debris.
- Ensure that the firearm is pointed in a safe direction at all times during installation.
- Be cautious of sharp edges when handling the plunger tube spring.
- If you experience any discomfort or difficulty during installation, stop and seek assistance.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is completely unloaded.
- Gather necessary tools: a flathead screwdriver and a small punch.

2. Installation Steps:

- Remove the grip panels from the firearm to access the plunger tube.
- Use the flathead screwdriver to gently pry out the old plunger tube spring.
- Carefully insert the new plunger tube spring into the plunger tube, ensuring it is seated properly.
- Reattach the grip panels securely.

3. PostInstallation Check:

- Test the slide stop and thumb safety to ensure they function correctly.
- Conduct a visual inspection to ensure all components are secure.

4. Usage:

- Regularly check the functionality of the slide stop and thumb safety during routine firearm maintenance.
- Replace the plunger tube spring if you notice any signs of wear or failure.

Disposal Instructions

- Dispose of the old plunger tube spring in accordance with local regulations for metal waste.
- Do not throw the spring in regular household waste.
- If unsure about disposal methods, contact your local waste management authority for guidance.

Contact Information for Further Support

For any questions or concerns regarding the installation or performance of the 1911 Plunger Tube Spring, please refer to the manufacturer's contact information provided with your product packaging.

Thank you for choosing the Wolff 1911 Plunger Tube Spring. Your safety is our priority, and we hope this guide helps you enjoy a reliable and safe shooting experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk