


1911 PLUNGER TUBE SPRING - WOLFF PLUNGER TUBE SPRING, 3-PAK

[Handgun Parts](#) > [Frame Parts](#) > [Frame Hardware](#) > [Plunger Spring Assemblies](#)

Eliminates slide stop and thumb safety failures caused by a broken plunger tube spring. Fits Colt 1911, 1911A1, 1991, Government, MK IV, Gold Cup, Commander (.45, Super .38 and 9mm), Officers .45 caliber, and Delta Elite 10mm.



Attributes

- Name: [WOLFF PLUNGER TUBE SPRING, 3-PAK](#)
- Manufacturer: [WOLFF](#)
- Product no.: 969000125
- Mfr. No.: 26132
- Delivery weight: 0.113kg
- Shipping height: 3mm
- Shipping width: 69mm
- Shipping length: 137mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 1911 Plunger Tube Spring Wolff Plunger Tube Spring, 3Pak
- About Us

Safety Instruction Guide for 1911 Plunger Tube Spring Wolff Plunger Tube Spring, 3Pak

Introduction

Thank you for choosing the 1911 Plunger Tube Spring by Wolff. This product is designed to enhance the performance and reliability of your firearm by eliminating slide stop and thumb safety failures caused by a broken plunger tube spring. This guide provides essential safety instructions and usage information to ensure the safe and effective use of this product.

General Safety Guidelines

- Always handle firearms with care and follow all safety protocols.
- Ensure that the firearm is unloaded before performing any maintenance or installation.
- Use only compatible firearms as specified in the product description.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the plunger tube spring for wear or damage.
- If you notice any defects or issues, cease use immediately and seek assistance.

Specific Safety Precautions for Use

- Ensure that the firearm is completely unloaded before installation.
- Wear appropriate safety gear, including eye protection, during installation.
- Follow all manufacturer guidelines for your specific firearm model.
- Do not modify the plunger tube spring or use it in a manner not intended by the manufacturer.
- Be aware of the potential hazards associated with improper installation, including malfunction of the firearm.

Instructions for Installation and Usage

1. Preparation

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools, including a punch and hammer if needed.

2. Installation Steps

- Remove the existing plunger tube spring from the firearm by carefully driving out the retaining pin using a punch.
- Insert the new Wolff plunger tube spring into the plunger tube.
- Ensure that the spring is seated properly and that the retaining pin can be reinserted without obstruction.
- Reinsert the retaining pin to secure the spring in place.

3. PostInstallation Checks

- Verify that the slide stop and thumb safety function correctly after installation.
- Perform a function check on the firearm to ensure safe operation.
- If there are any issues, consult a qualified gunsmith for assistance.

Disposal Instructions

- Dispose of the plunger tube spring in accordance with local regulations.
- Do not dispose of the spring in regular household waste.
- Consider recycling options where available.

Contact Information for Further Support

For any inquiries regarding safety, installation, or product performance, please reach out to the appropriate manufacturer or retailer. Ensure that you have the product details at hand for a more efficient response.

By following these safety instructions, you can ensure the safe and effective use of your 1911 Plunger Tube Spring. Thank you for your attention to safety, and enjoy your product responsibly.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk