

1911 PLUNGER TUBE SPRING - WOLFF PLUNGER TUBE SPRING, 10-PAK

[Handgun Parts](#) > [Frame Parts](#) > [Frame Hardware](#) > [Plunger Spring Assemblies](#)

Eliminates slide stop and thumb safety failures caused by a broken plunger tube spring. Fits Colt 1911, 1911A1, 1991, Government, MK IV, Gold Cup, Commander (.45, Super .38 and 9mm), Officers .45 caliber, and Delta Elite 10mm.



Attributes

- Name: [WOLFF PLUNGER TUBE SPRING, 10-PAK](#)
- Manufacturer: [WOLFF](#)
- Product no.: 969000126
- Mfr. No.: 26133
- Delivery weight: 0.005kg
- Shipping height: 3mm
- Shipping width: 69mm
- Shipping length: 137mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 1911 Plunger Tube Spring Wolff Plunger Tube Spring, 10Pak
- About Us

Safety Instruction Guide for 1911 Plunger Tube Spring Wolff Plunger Tube Spring, 10Pak

Introduction

Thank you for purchasing the 1911 Plunger Tube Spring by Wolff. This product is designed to enhance the reliability of your firearm by preventing slide stop and thumb safety failures caused by a broken plunger tube spring. This guide provides essential safety instructions and usage guidelines to ensure safe and effective use of the product.

General Safety Guidelines

- Always follow the manufacturer's instructions and guidelines when using this product.
- Keep the product out of reach of children and unauthorized users.
- Inspect the product regularly for signs of wear or damage.
- Do not use the product if it shows any signs of damage or malfunction.
- Report any unsafe product experiences to the relevant authorities.
- Stay informed about product recalls through the EU Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before attempting to install or replace the plunger tube spring.
- Always wear appropriate safety gear, including eye protection, when working with firearms.
- Handle all firearm components with care to avoid injury.
- Do not attempt to modify the product or use it for any purpose other than intended.
- Follow all local laws and regulations regarding firearm maintenance and modifications.

Instructions for Installation and Usage

1. Preparation

- Ensure that the firearm is completely unloaded.
- Gather necessary tools, such as a punch tool and a hammer, for installation.

2. Removing the Old Plunger Tube Spring

- Use the punch tool to carefully remove the old plunger tube spring from the plunger tube.
- Inspect the plunger tube for any signs of damage or wear.

3. Installing the New Plunger Tube Spring

- Take the new Wolff plunger tube spring from the package.
- Insert the new spring into the plunger tube, ensuring it is seated properly.
- Use the punch tool to secure the spring in place.

4. Reassembling the Firearm

- Carefully reassemble the firearm according to the manufacturer's instructions.
- Ensure all components are properly aligned and secured.

5. Testing the Installation

- Once the firearm is reassembled, conduct a function check to ensure proper operation of the slide stop and thumb safety.

- If any issues arise, recheck the installation and ensure the spring is correctly positioned.

Disposal Instructions

- Dispose of any old or defective plunger tube springs in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Check with local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any inquiries or support regarding the 1911 Plunger Tube Spring, please refer to the manufacturer's contact details provided with your product packaging. It is important to reach out to the manufacturer for specific questions and concerns.

Thank you for using the 1911 Plunger Tube Spring by Wolff. Your safety and the safety of others depend on the proper use and maintenance of your firearm components.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk