

# LEVER ACTION MAGAZINE SPRING - 44-40 MAGAZINE SPRING

[Gunsmith Tools & Supplies](#) > [Small Hardware](#) > [Gunsmith Coil Springs](#)

## Improves Tube Magazine Feeding

Approximately 20% extra power over the factory spring for smoother, more reliable feeding. Longer than factory spring; cut to fit most magazine tubes. In addition, .38-.40 will also fit many .30/30 and .32 Special rifles, .44-40 will also fit many heavy .45 caliber rifles, including .45/70 and .45/90.



## Attributes

- Name: [44-40 MAGAZINE SPRING](#)
- Manufacturer: [WOLFF](#)
- Product no.: 969000142
- Mfr. No.: 65065
- Delivery weight: 0.068kg
- Shipping height: 10mm
- Shipping width: 119mm
- Shipping length: 213mm

## Item details

Made in USA

# Table of Contents

- Startpage
- LEVER ACTION MAGAZINE SPRING Safety Instruction Guide
- About Us

# LEVER ACTION MAGAZINE SPRING Safety Instruction Guide

## Introduction

Thank you for purchasing the LEVER ACTION MAGAZINE SPRING 4440 MAGAZINE SPRING. This guide is designed to provide you with essential safety information and instructions for the proper use of this product. Please read this guide carefully to ensure safe handling and operation.

## General Safety Guidelines

- Always ensure the firearm is unloaded before installing or handling the magazine spring.
- Keep the magazine spring out of reach of children and unauthorized persons.
- Use the product only for its intended purpose as specified in this guide.
- Regularly inspect the magazine spring for wear or damage. Replace if necessary.
- Follow all local laws and regulations regarding firearm accessories and modifications.
- Report any unsafe products or incidents to the relevant authorities.

## Specific Safety Precautions for Use

- Use caution when handling the magazine spring, as it is under tension and may cause injury if released unexpectedly.
- Ensure that the magazine tube is compatible with the LEVER ACTION MAGAZINE SPRING before installation.
- Do not attempt to modify or alter the magazine spring, as this may compromise safety and performance.
- Wear safety glasses when installing the magazine spring to protect against potential spring release.
- If you are unsure about the installation process, seek assistance from a qualified gunsmith.

## Instructions for Installation and Usage

### 1. Preparation

- Ensure the firearm is completely unloaded and pointed in a safe direction.
- Gather necessary tools, including a screwdriver and safety glasses.

### 2. Removing the Old Spring

- Open the magazine tube and carefully remove the old spring.
- Dispose of the old spring according to local regulations.

### 3. Installing the New Spring

- Take the LEVER ACTION MAGAZINE SPRING and check its length. It can be cut to fit most magazine tubes.
- Insert the new spring into the magazine tube, ensuring it is seated properly.
- If necessary, trim the spring to fit the specific length of your magazine tube.

### 4. Testing the Installation

- Once installed, test the magazine to ensure smooth feeding.
- Check for any unusual noises or resistance during operation.

### 5. Regular Maintenance

- Periodically check the magazine spring for signs of wear or damage.
- Clean the magazine tube and spring regularly to maintain optimal performance.

## **Disposal Instructions**

- Dispose of the magazine spring in accordance with local regulations.
- Do not dispose of the spring in regular household waste. Instead, consider recycling options or contacting local waste management facilities for guidance.

## **Contact Information for Further Support**

For any inquiries regarding the safety or performance of the LEVER ACTION MAGAZINE SPRING, please refer to the manufacturer's contact information provided with your product packaging.

By following these guidelines, you can ensure the safe and effective use of the LEVER ACTION MAGAZINE SPRING 4440 MAGAZINE SPRING. Thank you for your attention to safety.

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)