


RECOIL SPRINGS FOR GLOCK® 19 & 23 - WOLFF 18 LB. SPRING KIT

[Handgun Parts](#) > [Recoil Parts](#) > [Recoil Springs](#)

Tunes Your Gun To Your Load

Replaces the factory spring with (1) non-captive, recoil spring and (1) striker spring to tailor recoil function. Factory weight, Model 19 is 18 lb.; for current-production models.



Attributes

- Name: [WOLFF 18 LB. SPRING KIT](#)
- Manufacturer: [WOLFF](#)
- Product no.: 969438018
- Mfr. No.: 43818
- Model: 19,23
- Pounds: 18 lbs
- Weapon type: Glock
- Delivery weight: 0.014kg
- Shipping height: 10mm
- Shipping width: 86mm
- Shipping length: 224mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for RECOIL SPRINGS FOR GLOCK® 19 & 23 WOLFF 18 LB. SPRING KIT
- About Us

Safety Instruction Guide for RECOIL SPRINGS FOR GLOCK® 19 & 23 WOLFF 18 LB. SPRING KIT

Introduction

Thank you for choosing the WOLFF 18 lb. Spring Kit for your Glock® 19 & 23. This guide provides essential safety instructions to ensure the safe use and installation of your recoil springs. Please read this guide carefully before use to understand how to handle the product safely.

General Safety Guidelines

- Ensure that you are familiar with the operation of your firearm before installing or using these recoil springs.
- Always handle firearms with care and treat them as if they are loaded.
- Keep the product out of reach of children and unauthorized users.
- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform to stay informed about product safety.

Specific Safety Precautions for Use

- Do not use the recoil spring kit if it appears damaged or defective.
- Ensure that the firearm is unloaded before installation or maintenance.
- Follow all manufacturer instructions for your Glock® model.
- Use appropriate tools and equipment to avoid injury during installation.
- Wear safety glasses to protect your eyes from debris during the installation process.
- Be aware of your surroundings and ensure that you are in a safe environment when handling firearms.

Instructions for Installation and Usage

1. Preparation:

- Ensure your Glock® 19 or 23 is completely unloaded.
- Gather necessary tools: a punch tool and a bench vise if needed.

2. Removing the Factory Spring:

- Disassemble your firearm according to the manufacturer's instructions.
- Locate the factory recoil spring and striker spring.
- Carefully remove the factory springs from the firearm.

3. Installing the New Springs:

- Take the WOLFF 18 lb. recoil spring and insert it into the recoil spring guide.
- Install the new striker spring in the designated area, ensuring it is seated properly.
- Doublecheck that both springs are securely in place.

4. Reassembling the Firearm:

- Reassemble your Glock® 19 or 23 following the manufacturer's instructions.
- Ensure all components are properly aligned and secured.

5. Testing:

- After reassembly, perform a function check to ensure the firearm operates correctly.

- If you experience any issues, disassemble and check the installation of the new springs.

Disposal Instructions

- Dispose of the old factory springs in accordance with local regulations.
- Do not dispose of any firearm components in regular household waste.
- Contact your local waste management authority for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the WOLFF 18 lb. Spring Kit, please refer to the manufacturer's contact information or your local firearm retailer for assistance.

By adhering to these guidelines, you can ensure the safe and effective use of the WOLFF 18 lb. Spring Kit for your Glock® 19 & 23. Always prioritize safety and follow the instructions carefully to enjoy a reliable shooting experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk