

# RECOIL GUIDE ROD for GLOCK® - MODEL 17/22 GUIDE ROD

[Handgun Parts](#) > [Recoil Parts](#) > [Recoil Spring Guide Rods](#)

## Superior Support & Better Spring Alignment

Full-length, hardened steel guide rods help prevent spring bind and improves cycling. Lets you keep your factory, captive, recoil assembly intact and must use Wolff recoil springs. Machined from solid steel, polished, then hardened.



## Attributes

- Name: [MODEL 17/22 GUIDE ROD](#)
- Manufacturer: [WOLFF](#)
- Product no.: 969500000
- Mfr. No.: 50000
- Make: Glock
- Model: 17,22
- Delivery weight: 0.032kg
- Shipping height: 14mm
- Shipping width: 72mm
- Shipping length: 146mm

## Item details

Made in USA

US export classification: 0A501.x

# Table of Contents

- [Startpage](#)
- [RECOIL GUIDE ROD for GLOCK® MODEL 17/22 Safety Instruction Guide](#)
- [About Us](#)

# RECOIL GUIDE ROD for GLOCK® MODEL 17/22

## Safety Instruction Guide

### Introduction

Thank you for purchasing the RECOIL GUIDE ROD for GLOCK® MODEL 17/22. This product is designed to enhance the performance of your firearm while ensuring safety during use. Please read this safety instruction guide carefully to understand how to use and install the product safely and effectively.

### General Safety Guidelines

- Always treat firearms as if they are loaded.
- Keep the firearm pointed in a safe direction at all times.
- Store the firearm and its components in a secure location away from children and unauthorized users.
- Follow all local laws and regulations regarding firearm ownership and usage.
- Regularly inspect your firearm and its components for wear and damage.
- Use only Wolff recoil springs with this guide rod to ensure safe operation.
- Report any unsafe products or incidents to the appropriate authorities.

### Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before installing the recoil guide rod.
- Do not attempt to modify the recoil guide rod in any way, as this may compromise safety.
- Be aware of the potential for spring bind during operation. The guide rod is designed to minimize this risk.
- Always wear appropriate eye and ear protection when handling firearms.
- If you experience any malfunctions while using the guide rod, cease use immediately and consult a qualified gunsmith.

### Instructions for Installation and Usage

#### 1. Preparation:

- Ensure your firearm is completely unloaded.
- Gather necessary tools, including a punch and a hammer (if required for installation).

#### 2. Removing the Factory Guide Rod:

- Remove the slide from the frame of the firearm.
- Use a punch to carefully push out the factory guide rod.
- Take care not to damage any components during removal.

#### 3. Installing the RECOIL GUIDE ROD:

- Align the new recoil guide rod with the recoil spring.
- Insert the guide rod into the slide, ensuring it is seated properly.
- Ensure that the Wolff recoil spring is used in conjunction with the guide rod.

#### 4. Reassembling the Firearm:

- Reattach the slide to the frame of the firearm.
- Perform a function check to ensure everything operates smoothly.

#### 5. Usage:

- When firing, ensure that you maintain proper grip and stance.
- Regularly check the guide rod and spring for wear, especially after extensive use.

## **Disposal Instructions**

- Dispose of the recoil guide rod and any associated components in accordance with local regulations.
- Do not dispose of in regular household waste; check for local recycling programs or hazardous waste disposal guidelines.

## **Contact Information for Further Support**

For any inquiries regarding safety or product information, please refer to the manufacturer's website or contact the relevant authorities in your area.

By following these safety instructions, you can ensure safe and effective use of the RECOIL GUIDE ROD for GLOCK® MODEL 17/22. Thank you for prioritizing safety in your firearm practices.

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)