

LIGHTNING ROD SIGHTS - .175" SIGHT

[Handgun Parts](#) > [Sights](#) > [Front Sights](#)

Bright Red Sight Holds Your Eye On Target

Extra long fiber optic rod provides a glowing sight picture that draws your eye to the sight. Open center blade lets in lots of light for a bright red, easy-to-see dot. Works well with ghost ring, v-notch and conventional sights. Includes spare optic rod.



Attributes

- Name: [.175" SIGHT](#)
- Manufacturer: [BRAZOS CUSTOM GUNWORKS](#)
- Product no.: 985000003
- Mfr. No.: 40062
- Color: Green/Red
- Height: .175
- Make: 1911
- Model: Officers, Commander, Government
- Outline: None
- Style: Fiber Optic
- Width: .125
- Delivery weight: 0.005kg
- Shipping height: 3mm
- Shipping width: 102mm
- Shipping length: 122mm

Item details

Made in USA

Table of Contents

- Startpage
- LIGHTNING ROD SIGHTS Safety Instruction Guide
- About Us

LIGHTNING ROD SIGHTS Safety Instruction Guide

Introduction

Thank you for choosing the LIGHTNING ROD SIGHTS .175" SIGHT. This product is designed to enhance your shooting experience with its advanced fiber optic technology. However, it is essential to use this product safely to ensure your wellbeing and the safety of others. This guide provides important safety instructions and guidelines to help you use the product correctly.

General Safety Guidelines

- Always treat your firearm as if it is loaded, even if you believe it is not.
- Ensure that you are familiar with the operation and handling of your firearm before using the LIGHTNING ROD SIGHTS.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the sights for any signs of damage or wear before each use.
- Follow all local laws and regulations regarding firearm accessories and usage.
- If you experience any malfunction or issues with the sights, cease use immediately and consult a qualified gunsmith.

Specific Safety Precautions for Use

- Use the LIGHTNING ROD SIGHTS only with compatible firearms (1911 Government, Commander, Officers).
- Ensure that the sight is securely attached to your firearm before use.
- Avoid looking directly at bright light sources while using the sights to prevent eye strain.
- Do not alter or modify the sights in any way, as this could compromise safety and performance.
- Be aware of your surroundings and ensure a safe shooting environment at all times.

Instructions for Installation and Usage

1. Installation:

- Ensure your firearm is unloaded and pointed in a safe direction.
- Remove the existing sights if necessary, following the manufacturer's instructions.
- Align the dovetail of the LIGHTNING ROD SIGHTS with the dovetail cut on your firearm.
- Gently tap the sight into place using a nonmarring tool, ensuring it is secure.
- Check for proper alignment and adjust as necessary.

2. Usage:

- Position your firearm comfortably and ensure a proper grip.
- Focus on the fiber optic rod to acquire your target.
- Adjust your stance and breathing to improve accuracy.
- After shooting, always check the sights for any damage or misalignment before the next use.

Disposal Instructions

- Dispose of the LIGHTNING ROD SIGHTS in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Consider recycling the materials if possible, or consult local waste management for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or support, please refer to the manufacturer's contact information provided with your product packaging. It is important to reach out to them for any specific questions or concerns regarding the LIGHTNING ROD SIGHTS.

Conclusion

By following these safety instructions and guidelines, you can ensure a safe and enjoyable experience with your LIGHTNING ROD SIGHTS .175" SIGHT. Always prioritize safety and stay informed about best practices for firearm usage. Thank you for your attention to these important safety measures.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at