

LIGHTNING ROD SIGHTS - .240" SIGHT

[Handgun Parts](#) > [Sights](#) > [Front Sights](#)

Bright Red Sight Holds Your Eye On Target

Extra long fiber optic rod provides a glowing sight picture that draws your eye to the sight. Open center blade lets in lots of light for a bright red, easy-to-see dot. Works well with ghost ring, v-notch and conventional sights. Includes spare optic rod.



Attributes

- Name: [.240" SIGHT](#)
- Manufacturer: [BRAZOS CUSTOM GUNWORKS](#)
- Product no.: 985000004
- Mfr. No.: 40064
- Color: Green/Red
- Height: .240
- Make: 1911
- Model: Commander, Officers, Government
- Outline: None
- Style: Fiber Optic
- Width: .125
- Delivery weight: 0.005kg
- Shipping height: 6mm
- Shipping width: 102mm
- Shipping length: 124mm

Item details

Made in USA

Table of Contents

- Startpage
- LIGHTNING ROD SIGHTS .240" SIGHT Safety Instruction Guide
- About Us

LIGHTNING ROD SIGHTS .240" SIGHT Safety Instruction Guide

Introduction

Thank you for choosing the LIGHTNING ROD SIGHTS .240" SIGHT. This guide provides essential safety instructions and guidelines to ensure the safe use of your new sight. Please read this manual carefully before installation and use to maximize safety and performance.

General Safety Guidelines

- Ensure the sight is compatible with your firearm model (1911 Government, Commander, Officers) before installation.
- Always handle firearms safely and responsibly.
- Store the sight in a dry, cool place away from direct sunlight.
- Use the sight only for its intended purpose; do not modify it in any way.
- Regularly inspect the sight for any signs of damage or wear.

Specific Safety Precautions for Use

- Do not point the firearm at anything you do not intend to shoot.
- Always keep your finger off the trigger until you are ready to shoot.
- Ensure the firearm is unloaded when installing or adjusting the sight.
- Be aware of your surroundings and ensure a safe shooting environment.
- Use eye protection when shooting.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded.
- Remove the old sight if applicable, following the manufacturer's instructions.
- Align the dovetail of the LIGHTNING ROD SIGHT with the dovetail cut on your firearm.
- Use a suitable tool to gently tap the sight into place, ensuring it is secure.
- Check alignment by looking down the barrel and adjusting as necessary.

2. Usage:

- Once installed, familiarize yourself with the sight picture.
- Practice aiming at a safe target to get accustomed to the sight.
- Adjust your shooting technique as needed to account for the sight's characteristics.
- Regularly check the sight for stability and alignment before each use.

Disposal Instructions

- Dispose of the sight in accordance with local regulations.
- Do not dispose of the sight in regular household waste.
- Contact your local waste management authority for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the LIGHTNING ROD SIGHTS .240" SIGHT, please refer to the contact

information provided by the manufacturer. Ensure you have the product details ready for efficient assistance.

By following these guidelines, you can ensure a safe and enjoyable experience with your LIGHTNING ROD SIGHTS .240" SIGHT. Always prioritize safety and responsibility when using any firearm accessories.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at