

Solid Brass Jag - Solid Brass Jag 22 Caliber

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rod Jags](#)

- Caliber specific individual Solid Brass Cleaning Jags
- Designed to provide a tight fit between the patch and the bore
- Pointed tip keeps the patch centered
- Jags have 8-32 threads
- .17 and .20 Cal Jags have 5-40 thread

NO IMAGE
AVAILABLE

Attributes

- Name: [Solid Brass Jag 22 Caliber](#)
- Manufacturer: [TIPTON](#)
- Product no.: EU1001024
- Mfr. No.: 356987
- Caliber: 22 Caliber
- Delivery weight: 0.05kg
- Shipping height: 22mm
- Shipping width: 52mm
- Shipping length: 147mm
- UPC: 661120569879

Table of Contents

- Startpage
- Tipton Solid Brass Jag Safety Instructions
- About Us

Tipton Solid Brass Jag Safety Instructions

Introduction

Thank you for choosing the Tipton Solid Brass Jag for your cleaning needs. This product is designed for safe and effective use in cleaning .22 caliber firearms. Please read this safety instruction guide carefully to ensure safe handling and usage of the product.

General Safety Guidelines

- Always handle firearms and cleaning tools with care and respect.
- Ensure that the firearm is unloaded before using the cleaning jag.
- Store the cleaning jag in a safe place, out of reach of children.
- Inspect the cleaning jag for any damage before use; do not use if damaged.
- Follow all local laws and regulations regarding the cleaning and maintenance of firearms.

Specific Safety Precautions for Use

- Use only the Tipton Solid Brass Jag specifically designed for .22 caliber firearms.
- Ensure a proper fit between the jag and the cleaning patch to avoid any obstruction.
- Be cautious of the pointed tip; it is designed to keep the patch centered but can cause injury if mishandled.
- Do not force the jag into the bore; it should fit snugly without excessive pressure.
- Avoid using the jag with any other calibers or types of firearms, as this may lead to safety hazards.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather necessary cleaning supplies, including cleaning patches and solvent.

2. Attaching the Jag:

- Thread the cleaning jag onto a compatible cleaning rod with 832 threads.
- Ensure it is securely fastened before proceeding.

3. Using the Jag:

- Moisten the cleaning patch with solvent if necessary.
- Place the patch over the jag's pointed tip.
- Insert the jag gently into the bore of the firearm.
- Twist the cleaning rod to ensure the patch is properly seated and centered.
- Pull the jag and patch through the bore in a smooth motion, ensuring no obstruction occurs.

4. After Use:

- Clean the jag with appropriate solvents and allow it to dry before storage.
- Store the jag in a safe place away from children and pets.

Disposal Instructions

- Dispose of any used cleaning patches and solvents in accordance with local regulations.
- Do not dispose of the brass jag in regular household waste; check for recycling options or local hazardous

waste disposal guidelines.

Contact Information for Further Support

For any safety inquiries or concerns regarding the Tipton Solid Brass Jag, please refer to the product packaging for contact details or consult the manufacturer's website.

Thank you for your attention to these safety instructions. By following these guidelines, you can ensure a safe and effective cleaning experience with your Tipton Solid Brass Jag.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk