

Solid Brass Jag - Solid Brass Jag 35/ 9mm Caliber

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rod Jags](#)

- Caliber specific individual Solid Brass Cleaning Jags
- Designed to provide a tight fit between the patch and the bore
- Pointed tip keeps the patch centered
- Jags have 8-32 threads
- .17 and .20 Cal Jags have 5-40 thread

NO IMAGE
AVAILABLE

Attributes

- Name: [Solid Brass Jag 35/ 9mm Caliber](#)
- Manufacturer: [TIPTON](#)
- Product no.: EU1001030
- Mfr. No.: 434832
- Caliber: 9mm
- Delivery weight: 0.05kg
- Shipping height: 22mm
- Shipping width: 54mm
- Shipping length: 145mm
- UPC: 661120348320

Table of Contents

- Startpage
- Tipton Solid Brass Jag Safety Instructions
- About Us

Tipton Solid Brass Jag Safety Instructions

Introduction

Thank you for choosing the Tipton Solid Brass Jag for your cleaning needs. This product is designed for use with specific calibers and aims to provide a safe and efficient cleaning experience. Please read this safety instruction guide carefully to ensure safe usage and compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Always use the cleaning jag in accordance with the manufacturer's instructions.
- Ensure the firearm is unloaded before cleaning.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the jag for any signs of wear or damage before use.
- Use only the appropriate caliber jag for your specific firearm.
- Do not attempt to modify the jag in any way.

Specific Safety Precautions for Use

- Ensure a secure fit between the patch and the bore to avoid any accidents during cleaning.
- The pointed tip is designed to keep the patch centered; however, handle with care to avoid injury.
- Be cautious of potential hazards when cleaning near flammable materials.
- If you experience any discomfort or notice damage during use, stop immediately and assess the situation.
- Always follow local laws and regulations regarding firearm cleaning and maintenance.

Instructions for Installation and Usage

1. Preparation

- Confirm that your firearm is unloaded and pointed in a safe direction.
- Gather all necessary cleaning supplies, including patches and cleaning solvent.

2. Attaching the Jag

- Select the appropriate caliber jag for your firearm (e.g., .38 Caliber, .357 Caliber, or 9mm).
- Attach the jag to the cleaning rod by screwing it onto the 832 threads securely. For .17 and .20 Caliber jags, use the 540 thread.

3. Using the Jag

- Take a cleaning patch and apply the cleaning solvent as needed.
- Insert the patch onto the pointed tip of the jag.
- Carefully insert the jag into the bore of the firearm, ensuring the patch is centered.
- Pull the jag through the bore smoothly to clean the interior, repeating as necessary.

4. PostCleaning

- After cleaning, remove the jag and patch from the bore.
- Inspect the jag for any damage or wear before storing it.
- Store the jag in a safe place, away from children and pets.

Disposal Instructions

- Dispose of used patches and cleaning solvents according to local regulations.
- Do not throw the jag in regular household waste if it is damaged; check local guidelines for hazardous waste disposal.

Contact Information for Further Support

For any inquiries or concerns regarding the safety and use of the Tipton Solid Brass Jag, please refer to the manufacturer's contact points, which can usually be found on the product packaging or the manufacturer's website.

Conclusion

Following these safety instructions will help ensure a safe and effective cleaning experience with your Tipton Solid Brass Jag. Always prioritize safety and compliance with local laws and regulations while handling firearms and cleaning equipment. Thank you for your attention to these important safety guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk