

Universal Barrel Clamp

[Gunsmith Tools](#) > [General Gunsmith Tools](#) > [Vises & Accessories](#) > [Vise Accessories](#)

The Wheeler Engineering® Universal Barrel Clamp is precision extruded from aircraft grade aluminum and bonded with non-marring urethane. The urethane coating is specially designed to provide a protective layer for the barrel's finish while providing extraordinary gripping abilities. Three different barrel openings of .85", .66" and .53" will accommodate anything from an AR pencil barrel up to a bull barrel. When inserted in a vise the urethane coating squeezes down tightly on the barrel to fully secure it for the forces needed for installation/removal.

NO IMAGE
AVAILABLE

Attributes

- Name: [Universal Barrel Clamp](#)
- Manufacturer: [Wheeler](#)
- Product no.: EU1001296
- Mfr. No.: 672286
- Delivery weight: 0.86kg
- Shipping height: 76mm
- Shipping width: 140mm
- Shipping length: 251mm
- UPC: 661120722861

Table of Contents

- [Startpage](#)
- [Wheeler Universal Barrel Clamp Safety Instructions](#)
- [About Us](#)

Wheeler Universal Barrel Clamp Safety Instructions

Introduction

Thank you for choosing the Wheeler Engineering® Universal Barrel Clamp. This product is designed to securely hold your firearm's barrel during installation or removal processes. To ensure safe and effective use, please read and follow these safety instructions carefully.

General Safety Guidelines

- Always use the Universal Barrel Clamp in a wellventilated area free from distractions.
- Ensure that the firearm is unloaded before using the clamp.
- Keep the clamp out of reach of children and unauthorized individuals.
- Inspect the clamp for any damage before each use. Do not use if damaged.
- Follow all local laws and regulations regarding firearms and their maintenance.

Specific Safety Precautions for Use

- Use the clamp only for its intended purpose: securing firearm barrels.
- Do not exceed the maximum force recommended when tightening the clamp; overtightening can damage the barrel or the clamp.
- Avoid placing your hands or any body part near the clamp's moving parts during use.
- Always wear appropriate safety gear, including eye protection, when working with firearms.
- If the clamp becomes stuck or difficult to remove, do not force it. Instead, seek assistance.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and placed on a stable work surface.
- Select the appropriate barrel opening size: .85", .66", or .53" based on your barrel type.

2. Securing the Barrel:

- Insert the barrel into the selected opening of the Universal Barrel Clamp.
- Adjust the clamp to fit snugly around the barrel without excessive force.
- Place the clamp in a vise, ensuring it is secure and stable.

3. Using the Clamp:

- Gradually tighten the clamp using the vise until it securely holds the barrel.
- Check that the urethane coating is making full contact with the barrel to prevent slipping.
- Proceed with installation or removal of parts as needed.

4. PostUse:

- Carefully loosen the clamp and remove the barrel from the vise.
- Inspect the barrel and clamp for any signs of wear or damage after use.

Disposal Instructions

- Dispose of the Universal Barrel Clamp in accordance with local regulations.

- If the clamp is damaged beyond repair, consider recycling aluminum components where possible.

Contact Information for Further Support

For any safety inquiries or concerns regarding the Wheeler Universal Barrel Clamp, please refer to the manufacturer's contact information provided with your product packaging.

By adhering to these safety instructions, you can ensure a safe and effective experience with the Wheeler Universal Barrel Clamp. Always prioritize safety and follow best practices while handling firearms and related equipment.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk