

Barrel Vise with 3 Oak Bushings

[Gunsmith Tools](#) > [General Gunsmith Tools](#) > [Vises & Accessories](#) > [Vise Jaws](#)

The vise provides plenty of holding force to securely clamp your barrel for removal. The vise includes two pre-drilled oak blocks, 1" and 3/4" and one solid block for custom drilling.

NO IMAGE
AVAILABLE

Attributes

- Name: [Barrel Vise with 3 Oak Bushings](#)
- Manufacturer: [Wheeler](#)
- Product no.: EU1001305
- Mfr. No.: 465185
- Delivery weight: 6.94kg
- Shipping height: 58mm
- Shipping width: 170mm
- Shipping length: 363mm
- UPC: 661120195177

Table of Contents

- Startpage
- Wheeler Barrel Vise with 3 Oak Bushings Safety Instruction Guide
- About Us

Wheeler Barrel Vise with 3 Oak Bushings Safety Instruction Guide

Introduction

Thank you for choosing the Wheeler Barrel Vise with 3 Oak Bushings. This product is designed to securely clamp your barrel for removal, ensuring a safe and efficient experience. To ensure your safety and the proper use of this product, please read and follow these safety instructions carefully.

General Safety Guidelines

- Always use the product according to the manufacturer's instructions.
- Inspect the vise and oak bushings for any signs of damage before use.
- Keep the workspace clean and free of clutter to prevent accidents.
- Ensure that children and pets are kept at a safe distance during use.
- Use appropriate personal protective equipment (PPE), such as safety glasses and gloves, while using the vise.
- If you experience any issues with the product, stop using it immediately and consult the manufacturer.

Specific Safety Precautions for Use

- Ensure the barrel is properly aligned and securely clamped before applying any force.
- Do not exceed the recommended clamping force, as this may damage the barrel or the vise.
- Avoid placing your hands near the clamping area while tightening the vise.
- Use the solid block for custom drilling only when you are confident in your drilling skills and techniques.
- Be aware of your surroundings and ensure that no one is in the line of operation when using the vise.

Instructions for Installation and Usage

1. Setting Up the Vise:

- Place the vise on a stable workbench or surface.
- Ensure that the surface is level to prevent any movement during use.

2. Using the Oak Bushings:

- Select the appropriate predrilled oak block (1" or 3/4") based on the size of your barrel.
- Insert the selected oak block into the vise jaws.
- Ensure the block is securely positioned before clamping.

3. Clamping the Barrel:

- Place the barrel in the vise, resting it on the oak block.
- Slowly tighten the vise until the barrel is firmly held in place.
- Check the alignment and stability of the barrel before proceeding with removal.

4. Removing the Barrel:

- Once the barrel is securely clamped, proceed with the removal process as per your specific requirements.
- After use, carefully release the clamping pressure and remove the barrel from the vise.

5. PostUsage Care:

- Clean the vise and oak blocks after each use to maintain their condition.
- Store the vise in a dry place, away from moisture and extreme temperatures.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding waste disposal.
- Do not dispose of the product in household waste.
- If the product is damaged or no longer usable, consider recycling materials where possible.

Contact Information for Further Support

For any inquiries or support regarding the Wheeler Barrel Vise with 3 Oak Bushings, please refer to the contact information provided with your product packaging or visit the manufacturer's website.

By following these safety instructions, you can ensure a safe and effective experience while using the Wheeler Barrel Vise with 3 Oak Bushings. Thank you for your attention to these important safety guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk