

# **XLA 6-9" Bipod - Fixed Model, Black - XLA 9-13" Bipod - Fixed Model, Black**

[Shooting Accessories](#) > [Bipods, Monopods & Accessories](#) > [Bipods](#)

The Caldwell® XLA Bipod® provides a stable shooting support that conveniently attaches to almost any firearm with a sling swivel stud. The legs are notched for easy indexing to a specific height. The bipods are available in 4 heights, black or camo and in both standard and pivoting models.

NO IMAGE  
AVAILABLE

## **Attributes**

- Name: [XLA 9-13" Bipod - Fixed Model, Black](#)
- Manufacturer: [Caldwell](#)
- Product no.: EU1001889
- Mfr. No.: 403215
- Colour: Black
- Style: Bipod
- Delivery weight: 0.36kg
- Shipping height: 148mm
- Shipping width: 64mm
- Shipping length: 259mm
- UPC: 661120032151

# Table of Contents

- Startpage
- Caldwell XLA Bipod Safety Instruction Guide
- About Us

# Caldwell XLA Bipod Safety Instruction Guide

## Introduction

Thank you for choosing the Caldwell® XLA Bipod®. This guide provides essential safety instructions and information to ensure the safe use of your bipod. Please read this guide carefully before using the product to maximize your safety and performance.

## General Safety Guidelines

- Ensure that the bipod is compatible with your firearm before use.
- Always inspect the bipod for any damage or wear before each use. Do not use a damaged bipod.
- Keep the bipod out of reach of children and pets when not in use.
- Follow all local laws and regulations regarding the use of firearms and shooting accessories.
- Use the bipod only for its intended purpose—supporting a firearm during shooting.
- Always practice safe firearm handling and storage.

## Specific Safety Precautions for Use

- Always ensure that the bipod is securely attached to the firearm before use.
- Adjust the bipod legs to the desired height before positioning the firearm.
- Avoid placing the bipod on unstable or uneven surfaces that may cause it to tip over.
- Do not exceed the weight limit of the bipod as specified in the product specifications.
- Be cautious of your surroundings and ensure a clear shooting area before firing.
- Do not modify the bipod in any way that may compromise its safety or functionality.

## Instructions for Installation and Usage

### 1. Installation

- Locate the sling swivel stud on your firearm.
- Align the bipod's attachment point with the sling swivel stud.
- Securely attach the bipod by tightening the locking mechanism until it is firmly in place.
- Ensure that the bipod is stable and does not wobble.

### 2. Adjusting the Bipod

- To adjust the height, locate the notches on the bipod legs.
- Pull the leg down to the desired height and release it into the notch to lock it in place.
- Repeat the process for the other leg, ensuring both legs are set to the same height for stability.

### 3. Using the Bipod

- Position the bipod on a stable surface.
- Place your firearm on the bipod, ensuring it is secure.
- Always maintain control of the firearm while aiming and firing.
- When finished, carefully remove the firearm from the bipod and store both items safely.

## Disposal Instructions

- Dispose of the bipod in accordance with local regulations.
- Do not dispose of the bipod in regular household waste if it contains any hazardous materials.
- Consider recycling the bipod if possible, following local recycling guidelines.

## **Contact Information for Further Support**

For any safety inquiries or concerns regarding the Caldwell® XLA Bipod®, please refer to the product packaging or the manufacturer's website for further information.

By following these safety instructions, you can ensure a safe and enjoyable experience with your Caldwell® XLA Bipod®. Thank you for your attention to safety.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)