

XLA 6-9" Bipod - Fixed Model, Black - XLA 6-9 Bipod Pivot Model, Black

[Shooting Accessories](#) > [Bipods, Monopods & Accessories](#) > [Bipods](#)

The Caldwell® XLA Bipod® provides a stable shooting support that conveniently attaches to almost any firearm with a sling swivel stud. The legs are notched for easy indexing to a specific height. The bipods are available in 4 heights, black or camo and in both standard and pivoting models.

NO IMAGE
AVAILABLE

Attributes

- Name: [XLA 6-9 Bipod Pivot Model, Black](#)
- Manufacturer: [Caldwell](#)
- Product no.: EU1001891
- Mfr. No.: 247142
- Colour: Black
- Style: Bipod
- Delivery weight: 0.36kg
- Shipping height: 148mm
- Shipping width: 60mm
- Shipping length: 267mm
- UPC: 661120471424

Table of Contents

- Startpage
- Caldwell XLA 69" Bipod Safety Instructions
- About Us

Caldwell XLA 69" Bipod Safety Instructions

Introduction

Thank you for choosing the Caldwell XLA 69" Bipod. This product is designed to provide stable shooting support for various firearms. To ensure safe and effective use, please read this safety instruction guide carefully. It contains important information regarding safety guidelines, installation, usage, and disposal.

General Safety Guidelines

- Ensure that the bipod is compatible with your firearm before use.
- Always check the bipod for any signs of damage or wear before each use.
- Use the bipod only for its intended purpose as a shooting support.
- Keep the bipod out of reach of children and individuals who may not understand its use.
- Do not use the bipod in adverse weather conditions that may compromise stability.
- Always follow local laws and regulations regarding firearm use and safety.

Specific Safety Precautions for Use

- Ensure that the bipod is securely attached to the firearm's sling swivel stud before use.
- Always position the bipod on stable and level ground to prevent tipping.
- Avoid placing excessive weight on the bipod while it is extended to prevent breakage or collapse.
- Do not use the bipod as a climbing or support device for any other purpose.
- Be aware of your surroundings and ensure that the area is clear of obstructions and bystanders when shooting.

Instructions for Installation and Usage

1. Installation:

- Locate the sling swivel stud on your firearm.
- Align the bipod's attachment mechanism with the sling swivel stud.
- Firmly press the bipod onto the stud until it is securely attached.
- Ensure that the bipod is locked in place and does not move.

2. Adjusting Height:

- To adjust the height, identify the notched legs on the bipod.
- Pull the leg down to the desired height until it clicks into place in the notch.
- Repeat for the other leg to ensure even height adjustment.

3. Using the Bipod:

- Position the bipod on a stable surface.
- Ensure that the firearm is securely supported by the bipod.
- Aim carefully and take your shot, maintaining control of the firearm at all times.

Disposal Instructions

- Dispose of the bipod in accordance with local regulations for plastic and metal products.
- Do not dispose of the bipod in household waste.
- If you are unsure of the proper disposal method, contact your local waste management authority for guidance.

Contact Information for Further Support

For any questions or concerns regarding the Caldwell XLA 69" Bipod, please refer to the product packaging for the manufacturer's contact details. Additionally, you can stay informed about product recalls and safety updates by visiting the EU's Safety Gate platform.

By following these safety instructions, you can ensure a safe and enjoyable experience while using your Caldwell XLA 69" Bipod. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk