

# Precision Match 34mm Ring Set, Med

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

Vortex Optics starts with certified USA 7075 T6 billet aluminum and hold it to an extremely tight tolerance of .0005 using their precision Computer Numeric Controlled (CNC) mill. These Precision Matched Rings are kept in pairs throughout the manufacturing process - ensuring perfection from one set to another. These Vortex rings are then serialized, vibratory tumbled, hand-bead blasted and finished off with a Type III hard coat anodize.

Rugged, lightweight, anti-snap design  
Robust, Grade 8 fasteners  
100% made in USA guaranteed for life

NO IMAGE  
AVAILABLE

## Attributes

- Name: [VORTEX OPTICS Precision Match 34mm Ring Set, Med](#)
- Manufacturer: [VORTEX OPTICS](#)
- Product no.: EU2003220
- Mfr. No.: PMR341.1
- Finish: Matte Black
- Height: 1.10"
- Material: Aluminum
- Scope Tube Diameter: 34mm
- Style: Picatinny Rings
- Delivery weight: 408kg
- Shipping height: 83mm
- Shipping width: 32mm
- Shipping length: 121mm
- UPC: 875874005754

# Table of Contents

- [Startpage](#)
- [VORTEX OPTICS Precision Match 34mm Ring Set Safety Instruction Guide](#)
- [About Us](#)

# VORTEX OPTICS Precision Match 34mm Ring Set Safety Instruction Guide

## Introduction

Thank you for choosing the VORTEX OPTICS Precision Match 34mm Ring Set. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your product. Please read this document carefully before installation and usage.

## General Safety Guidelines

- Always inspect the product for any visible damage before use. Do not use if damaged.
- Ensure that the rings are compatible with your scope and firearm before installation.
- Follow all local laws and regulations regarding firearm accessories.
- Keep this product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or accidents to the appropriate authorities.

## Specific Safety Precautions for Use

- Ensure that the rings are securely mounted to prevent any movement during use.
- Do not exceed the recommended torque specifications when tightening the fasteners.
- Avoid using the rings in extreme temperatures or conditions that may affect their integrity.
- Regularly check the rings for signs of wear or damage, especially after heavy use.
- If you notice any unusual sounds or movements while using the scope, discontinue use immediately.

## Instructions for Installation and Usage

### 1. Preparation

- Gather all necessary tools, including a torque wrench and appropriate screwdriver.
- Ensure the firearm is unloaded and pointed in a safe direction.

### 2. Installation Steps

- Remove any existing scope rings from the firearm.
- Align the VORTEX OPTICS Precision Match 34mm Rings with the Picatinny rail on your firearm.
- Place the scope into the rings and adjust to the desired position.
- Secure the rings by tightening the Grade 8 fasteners to the recommended torque specifications. Refer to the product manual for specific torque values.

### 3. Usage Instructions

- Once installed, verify the alignment of the scope.
- Test the setup at the range to ensure proper functionality and accuracy.
- Make any necessary adjustments to the scope or rings as needed.

## Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Consider recycling the aluminum material if facilities are available.

## **Contact Information for Further Support**

For any inquiries or support regarding the VORTEX OPTICS Precision Match 34mm Ring Set, please refer to the official Vortex Optics website or contact your local distributor.

By following these guidelines, you can ensure a safe and enjoyable experience with your VORTEX OPTICS Precision Match 34mm Ring Set. Thank you for your attention to safety!

# About Us

## Brownells Česká republika

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.cz](http://www.brownells.cz)