

Pro Ring 30mm Extra High (1.54")

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

Vortex Pro Series rings combine rock-solid reliability and strength with high quality machining to ensure ultimate accuracy and consistency. Streamlined, lightweight and durable, these rings use four T-25 Torx-style socket cap screws for secure mounting.

Weight (Per Ring): 44.7 Grams - 1.58 oz
Precision Machined 7075 T6 Aluminum
Hard Coat Matte Black Anodized
Fits Weaver and Picatinny Rails
T-25 Torx Screws

NO IMAGE
AVAILABLE

Attributes

- Name: [VORTEX OPTICS Pro Ring 30mm Extra High \(1.54"\)](#)
- Manufacturer: [VORTEX OPTICS](#)
- Product no.: EU2003244
- Mfr. No.: PR30XH
- Finish: Matte Black
- Height: 1.54"
- Material: Aluminum
- Scope Tube Diameter: 30mm
- Size: Extra High
- Style: Weaver,Picatinny
- Delivery weight: 0.227kg
- Shipping height: 127mm
- Shipping width: 25mm
- Shipping length: 165mm
- UPC: 843829101318

Table of Contents

- [Startpage](#)
- [VORTEX OPTICS Pro Ring 30mm Safety Instruction Guide](#)
- [About Us](#)

VORTEX OPTICS Pro Ring 30mm Safety Instruction Guide

Introduction

Thank you for choosing the VORTEX OPTICS Pro Ring 30mm Extra High (1.54"). This safety instruction guide provides essential information to ensure safe use and installation of your scope rings. Please read this guide carefully before using the product.

General Safety Guidelines

- Ensure that the product is used only as intended.
- Always inspect the product for any visible damage before use.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform regularly.
- If you have questions or concerns about the product, seek assistance.

Specific Safety Precautions for Use

- Do not exceed the recommended weight limits of the scope rings.
- Ensure that the scope is securely mounted to prevent it from loosening during use.
- Use the correct tools (T25 Torx screwdriver) for installation to avoid damaging the screws.
- Avoid using the product in extreme weather conditions unless specified.
- Regularly check the mounting screws for tightness and integrity.
- Do not modify the product in any way that could compromise its safety.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a T25 Torx screwdriver.
- Ensure that the mounting surface (Weaver or Picatinny rail) is clean and free of debris.

2. Installation:

- Position the VORTEX OPTICS Pro Ring on the rail at your desired location.
- Align the ring's mounting holes with the rail slots.
- Insert the T25 Torx screws into the holes and tighten them securely.
- Ensure that the screws are evenly tightened to prevent any misalignment.

3. Scope Mounting:

- Place your scope into the rings.
- Adjust the scope to your preferred eye relief and level.
- Tighten the ring screws carefully to secure the scope, ensuring not to overtighten.

4. Final Checks:

- After installation, check the stability of the scope and the tightness of the screws.
- Test the setup by gently shaking the scope to ensure it is securely mounted.

Disposal Instructions

- Dispose of any packaging materials in accordance with local waste disposal regulations.
- If the product is no longer in use, consider recycling it where possible.
- Do not dispose of the product in regular household waste if it contains hazardous materials.

Contact Information for Further Support

For any inquiries regarding safety, installation, or product issues, please refer to the manufacturer's contact information provided separately.

By following these safety instructions, you can ensure a safe and effective use of your VORTEX OPTICS Pro Ring 30mm Extra High. Thank you for your attention to safety and enjoy your product!

About Us

Brownells Česká republika

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.cz