

Pro Ring 1" Low (0.75")

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

Vortex Pro Series rings combine rock-solid reliability and strength with high quality machining to ensure ultimate accuracy and consistency. Streamlined, lightweight and durable, these rings use four T-25 Torx-style socket cap screws for secure mounting.

Weight (Per Ring): 44.7 Grams - 1.58 oz
Precision Machined 7075 T6 Aluminum
Hard Coat Matte Black Anodized
Fits Weaver and Picatinny Rails
T-25 Torx Screws

NO IMAGE
AVAILABLE

Attributes

- Name: [VORTEX OPTICS Pro Ring 1" Low \(0.75"\)](#)
- Manufacturer: [VORTEX OPTICS](#)
- Product no.: EU2003245
- Mfr. No.: PR1L
- Finish: Matte Black
- Height: .75"
- Material: Aluminum
- Scope Tube Diameter: 1"
- Size: Low
- Style: Picatinny, Weaver
- Delivery weight: 0.227kg
- Shipping height: 127mm
- Shipping width: 25mm
- Shipping length: 165mm
- UPC: 843829101264

Table of Contents

- [Startpage](#)
- [VORTEX OPTICS Pro Ring 1" Safety Instruction Guide](#)
- [About Us](#)

VORTEX OPTICS Pro Ring 1" Safety Instruction Guide

Introduction

Thank you for choosing the VORTEX OPTICS Pro Ring 1" Low (0.75"). This guide provides essential safety instructions to ensure the safe use and installation of your product. Please read this guide carefully before use to avoid any potential hazards.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Regularly inspect the rings for any signs of wear or damage before use.
- Keep the product out of reach of children and vulnerable individuals to prevent accidents.
- Use the product in a safe environment to avoid any risk of injury.
- Always follow local regulations and guidelines regarding the use of optical equipment.

Specific Safety Precautions for Use

- Do not exceed the recommended weight limit for the scope when mounted on the rings.
- Avoid using the rings in extreme weather conditions that may compromise their integrity.
- Ensure that all screws are tightened securely before use to prevent the scope from loosening during operation.
- Never attempt to modify or disassemble the product, as this may result in injury or damage.

Instructions for Installation and Usage

1. Installation

- Gather all necessary tools, including a T25 Torx screwdriver.
- Place the VORTEX OPTICS Pro Ring on the desired rail (Weaver or Picatinny).
- Align the ring with the scope tube and position it securely.
- Using the T25 Torx screws, tighten each screw in a crisscross pattern to ensure even pressure. Do not overtighten.
- Check that the scope is level and securely mounted before use.

2. Usage

- Always handle the mounted scope and rings with care to avoid dropping or damaging them.
- When adjusting the scope, ensure that your hands are clean and dry to maintain grip and prevent slippage.
- Regularly check the mounting screws for tightness during use, especially after heavy use or transport.

Disposal Instructions

- Dispose of the product in accordance with local waste management regulations.
- Do not dispose of the product in household waste.
- Consider recycling components where possible to minimize environmental impact.

Contact Information for Further Support

For any inquiries or concerns regarding the safety and use of the VORTEX OPTICS Pro Ring 1", please contact the manufacturer or visit your local retailer for assistance. Always ensure that you have the latest information regarding product recalls or safety notices.

Conclusion

By following these safety instructions, you can ensure a safe and enjoyable experience with your VORTEX OPTICS Pro Ring 1". Thank you for your commitment to safety and responsible use.

About Us

Brownells Česká republika

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.cz