

LSS-XL Gen 2 Fixed Stock Chassis System Savage 110, 111, 112, 116 LA RH Black

[Rifle Parts](#) > [Stock Parts](#) > [Rifle Stocks](#)

The rifle (system) and scope shown in the picture are not for sale and are not included. Only the chassis is included in the delivery.

LSS-XL Gen 2 Chassis System has a longer forend than standard LSS, plus many features from the ESS system. This chassis uses AR rifle-style fixed buttstocks and buffer tubes. Pistol grip also needed. Uses AICS -type detachable magazines.

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT LSS-XL Gen 2 Fixed Stock Chassis System Savage 110, 111, 112, 116 LA RH Black](#)
- Manufacturer: [MDT](#)
- Product no.: EU2004199
- Mfr. No.: 103357-BLK
- Action Type: Long
- Colour: Black
- Hand (RH LH): Right
- Material: Aluminum
- Model: 110,111,112,116
- Style: Chassis
- Weapon type: Savage
- Delivery weight: 1.28kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 540mm
- UPC: 709951103067

Table of Contents

- Startpage
- MDT LSSXL Gen 2 Fixed Stock Chassis System Safety Instructions
- About Us

MDT LSSXL Gen 2 Fixed Stock Chassis System Safety Instructions

Introduction

Thank you for choosing the MDT LSSXL Gen 2 Fixed Stock Chassis System for your Savage 110, 111, 112, or 116 rifle. This guide provides essential safety information, installation instructions, and usage guidelines to ensure safe and effective operation of your chassis system. Please read this document carefully before use.

General Safety Guidelines

- Always treat your firearm as if it is loaded, even if you believe it is unloaded.
- Ensure that the chassis system is compatible with your specific rifle model.
- Keep the chassis system and all firearm components out of reach of children and unauthorized users.
- Use only AICS-type detachable magazines as specified for this chassis system.
- Inspect the chassis system regularly for any signs of wear or damage.
- Follow all local laws and regulations regarding firearm modifications and usage.
- Be aware of your surroundings and ensure a safe environment when handling your firearm.

Specific Safety Precautions for Use

• Installation Precautions:

- Ensure the firearm is unloaded before beginning installation.
- Use appropriate tools as specified in the installation instructions.
- Do not attempt to modify the chassis system beyond the manufacturer's specifications.

• Operational Precautions:

- Always wear appropriate eye and ear protection when using your firearm.
- Ensure that the firearm is pointed in a safe direction at all times.
- Do not exceed the manufacturer's recommended ammunition specifications.
- Avoid using the chassis system in adverse weather conditions that may affect performance.

• Transportation Precautions:

- When transporting your firearm with the chassis system, ensure it is secured in a case.
- Always comply with local laws regarding the transportation of firearms.

Instructions for Installation and Usage

Installation Instructions

1. Preparation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools (e.g., screwdriver, Allen wrench).

2. Remove the Existing Stock:

- Unscrew and detach the existing stock from the rifle.

3. Attach the Chassis:

- Align the MDT LSSXL Gen 2 Chassis with the rifle's action.
- Securely fasten the chassis to the rifle using the screws provided.

4. Install Fixed Buttstock and Pistol Grip:

- Attach the fixed buttstock to the chassis.
- Install the pistol grip according to the manufacturer's instructions.

5. Check Compatibility:

- Ensure that the chassis is properly fitted and that the rifle operates smoothly.

Usage Instructions

- Load the AICStype detachable magazine as per the manufacturer's guidelines.
- Ensure the bolt is closed before loading the magazine into the chassis.
- Follow safe shooting practices, including maintaining a clear line of sight and awareness of your surroundings.

Disposal Instructions

- Dispose of the chassis system in accordance with local regulations regarding electronic and metal waste.
- Ensure that any firearm components are disposed of safely and securely, preventing unauthorized access.

Contact Information for Further Support

For any questions or concerns regarding the MDT LSSXL Gen 2 Fixed Stock Chassis System, please refer to the manufacturer's official website or contact the authorized dealer from whom you purchased the product. Always ensure that you have the latest safety information and product updates.

By adhering to these safety instructions, you can ensure a safe and enjoyable experience with your MDT LSSXL Gen 2 Fixed Stock Chassis System. Thank you for your commitment to safety and responsible firearm usage.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk