

LSS-XL Gen 2 Fixed Stock Chassis System Tikka T3, T3x LA RH FDE

[Rifle Parts](#) > [Stock Parts](#) > [Rifle Stocks](#)

The rifle (system) and scope shown in the picture are not for sale and are not included. Only the chassis is included in the delivery.

LSS-XL Gen 2 Chassis System has a longer forend than standard LSS, plus many features from the ESS system. This chassis uses AR rifle-style fixed buttstocks and buffer tubes. Pistol grip also needed. Uses AICS -type detachable magazines, for Tikka T3 Long Action MDT 3.560" long magazine is required.

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT LSS-XL Gen 2 Fixed Stock Chassis System Tikka T3, T3x LA RH FDE](#)
- Manufacturer: [MDT](#)
- Product no.: EU2004204
- Mfr. No.: 103361-FDE
- Action Type: Long
- Colour: FDE
- Hand (RH LH): Right
- Material: Aluminum
- Model: T3,T3x
- Style: Chassis
- Weapon type: Tikka
- Delivery weight: 1.22kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 540mm
- UPC: 709951103111

Table of Contents

- Startpage
- MDT LSSXL Gen 2 Fixed Stock Chassis System Safety Instructions
- About Us

MDT LSSXL Gen 2 Fixed Stock Chassis System Safety Instructions

Introduction

Thank you for choosing the MDT LSSXL Gen 2 Fixed Stock Chassis System for your Tikka T3, T3x. This product is designed to enhance your rifle's performance while ensuring safety during use. Please read this safety instruction guide carefully to ensure proper usage and maintenance of your chassis system.

General Safety Guidelines

- Always handle firearms and firearm accessories with care and respect.
- Ensure that the chassis system is compatible with your specific firearm model.
- Store the chassis system and your firearm in a secure location, away from children and unauthorized users.
- Regularly inspect the chassis system for any signs of wear or damage before each use.
- Follow all local laws and regulations regarding firearm modifications and use.

Specific Safety Precautions for Use

- Use only AICStyle detachable magazines with the MDT LSSXL Gen 2 chassis system.
- Ensure that the magazine used is specifically designed for the Tikka T3 Long Action, with a length of 3.560 inches.
- Always use a proper AR riflestyle fixed buttstock and buffer tube as specified in the product guidelines.
- Do not exceed the manufacturer's recommended specifications for ammunition and firearm modifications.
- Avoid using the chassis system in adverse weather conditions that may affect its performance or safety.

Instructions for Installation and Usage

Installation Instructions

1. Prepare Your Workspace

- Ensure your workspace is clean and free from distractions.
- Gather all necessary tools and components, including the chassis system, buttstock, buffer tube, and pistol grip.

2. Remove the Existing Stock

- Unload your firearm completely and ensure it is safe to handle.
- Remove the existing stock from your Tikka T3 or T3x by following the manufacturer's instructions.

3. Install the MDT LSSXL Chassis System

- Align the chassis system with the action of your firearm.
- Secure the chassis to the action using the provided screws and tools, ensuring a tight fit.
- Attach the AR riflestyle fixed buttstock and buffer tube to the rear of the chassis.
- Install the pistol grip according to the manufacturer's instructions.

4. Final Check

- Inspect all connections to ensure they are secure.
- Ensure the chassis system is properly aligned and functions as intended.

Usage Instructions

- Before each use, inspect the chassis system for any damage or loose parts.
- Load your firearm only when you are in a safe and controlled environment.
- Always point the firearm in a safe direction when loading or unloading.
- Follow standard safety practices when firing your rifle, including wearing appropriate eye and ear protection.

Disposal Instructions

- Dispose of the chassis system in accordance with local regulations.
- If the chassis system is damaged beyond repair, consider recycling materials where possible.
- Do not dispose of the chassis system in regular household waste.

Contact Information for Further Support

For any questions regarding the MDT LSSXL Gen 2 Fixed Stock Chassis System or safety concerns, please reach out to the designated support channels provided by the manufacturer. Always ensure that you have the latest information regarding product safety and recalls.

By following these safety instructions, you can ensure a safe and enjoyable experience with your MDT LSSXL Gen 2 Fixed Stock Chassis System. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk