

# Forend Weights - MDT External Forend Weight Pair, .78 pounds

[Rifle Parts](#) > [Stock Parts](#) > [Stock Hardware](#) > [Weights](#)

Adding weight to a rifle can cut down on recoil, allow one to self-spot their shots and balance their rifle. These weights mount on to the exterior of any chassis or stock that is M-LOK compatible. They mount using standard hardware and M-LOK T-nuts, meaning that you can install and remove them as necessary on your system. Each weight features a QD flush cup to accommodate a sling.

NO IMAGE  
AVAILABLE

## Attributes

- Name: [MDT External Forend Weight Pair, .78 pounds](#)
- Manufacturer: [MDT](#)
- Product no.: EU2004274
- Mfr. No.: 103965-BLK
- Colour: Black
- Material: Steel
- Delivery weight: 0.35kg
- Shipping height: 50mm
- Shipping width: 50mm
- Shipping length: 50mm
- UPC: 709951108185

# Table of Contents

- Startpage
- MDT Forend Weights Safety Instruction Guide
- About Us

# MDT Forend Weights Safety Instruction Guide

## Introduction

Thank you for choosing the MDT External Forend Weight Pair. These weights are designed to enhance your shooting experience by reducing recoil, allowing for selfspotting of shots, and improving the balance of your rifle. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

## General Safety Guidelines

- Ensure that the weights are compatible with your chassis or stock before installation.
- Always handle the weights with care to avoid injury.
- Keep the weights out of reach of children and vulnerable individuals.
- Regularly inspect the weights for any signs of damage or wear.
- Report any unsafe conditions or incidents to the appropriate authorities.

## Specific Safety Precautions for Use

- Do not exceed the recommended weight limit for your rifle.
- Ensure that the weights are securely attached before using the rifle.
- Be aware of your surroundings when using the rifle to prevent accidents.
- Use the QD flush cup only for its intended purpose, ensuring that the sling is properly attached.
- Avoid using the weights in wet or slippery conditions to prevent loss of control.

## Instructions for Installation and Usage

### 1. Installation

- Gather the necessary tools: standard hardware and MLOK Tnuts.
- Identify the MLOK slots on your chassis or stock where you will mount the weights.
- Align the weights with the MLOK slots and insert the Tnuts through the slots.
- Secure the weights by tightening the hardware until snug but avoid overtightening.
- Ensure that the weights are firmly attached and do not move.

### 2. Usage

- After installation, check the stability of the weights before each use.
- Use the rifle in a safe environment, following all standard firearm safety practices.
- If you need to remove the weights, reverse the installation steps.
- Store the weights in a dry and safe location when not in use.

## Disposal Instructions

- Dispose of the MDT External Forend Weights responsibly.
- If the weights are damaged or no longer in use, recycle them according to local regulations.
- Do not dispose of the weights in regular household waste.

## Contact Information for Further Support

For any questions or concerns regarding the MDT External Forend Weight Pair, please reach out to your local retailer or the manufacturer. Ensure that you have your product details ready for a quicker response.

Thank you for your attention to these safety guidelines. Enjoy your enhanced shooting experience with the MDT External Forend Weight Pair.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)