

Elite Muzzle Brakes - MDT Elite Muzzle Brake 338LM, M18x1.5 thread

The MDT Elite Muzzle Brake has 35 degree angled baffles for increased recoil reduction while keeping a more streamlined design. By reducing recoil up to 66% the follow-up shot speed and accuracy is greatly improved while a straight cut through the rear baffle reduces concussive forces. MDT Muzzle Brakes are constructed out of alloy steel with a nitride finish and are provided with an overlapping lock nut. The nut offers some tuneability, as well as the ability to index the brake to make it straight. Perfect for recoil-sensitive shooters. Must be used on threaded barrels.

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT Elite Muzzle Brake 338LM, M18x1.5 thread](#)
- Manufacturer: [MDT](#)
- Product no.: EU2004458
- Mfr. No.: 103665-BLK
- Caliber: 338 Caliber
- Color: Black
- Material: Steel
- Style: Compensator
- Threads: M18X1.5mm
- Delivery weight: 0.2kg
- UPC: 709951107232

Table of Contents

- Startpage
- MDT Elite Muzzle Brake Safety Instruction Guide
- About Us

MDT Elite Muzzle Brake Safety Instruction Guide

Introduction

Thank you for choosing the MDT Elite Muzzle Brake. This guide provides essential safety instructions and usage guidelines to ensure safe and effective operation. Please read this document carefully before using the product.

General Safety Guidelines

- Always ensure that the muzzle brake is compatible with your firearm's threaded barrel.
- Inspect the muzzle brake for any damage or defects before installation.
- Use the muzzle brake only with the specified caliber: 338 Caliber (.338) or 8 mm (.323).
- Keep the muzzle brake and all firearm accessories out of reach of children and unauthorized users.
- Always follow local laws and regulations regarding firearm modifications and accessories.
- In case of any malfunction or unsafe condition, cease use immediately and consult a qualified gunsmith.

Specific Safety Precautions for Use

- **Recoil Sensitivity:** The MDT Elite Muzzle Brake is designed for recoil-sensitive shooters. However, always be aware of your own comfort and ability to handle recoil.
- **Concussive Forces:** The design includes a straight cut through the rear baffle to reduce concussive forces. Ensure that bystanders are at a safe distance when firing.
- **Tuning and Indexing:** The overlapping lock nut allows for tuneability and indexing. Ensure the muzzle brake is secured properly before each use.
- **Environmental Safety:** Avoid using the muzzle brake in wet or muddy conditions, which may affect its performance and safety.

Instructions for Installation and Usage

1. Installation:

- Ensure that your firearm is unloaded and pointed in a safe direction.
- Clean the threads of the barrel to remove any debris or residue.
- Align the muzzle brake with the threaded barrel.
- Handtighten the muzzle brake onto the barrel.
- Use a wrench to securely tighten the overlapping lock nut, ensuring the brake is indexed straight.

2. Usage:

- Always wear appropriate eye and ear protection when firing.
- Fire the firearm in a safe and controlled environment.
- After each use, inspect the muzzle brake for any signs of wear or damage.
- Clean the muzzle brake regularly to maintain its performance.

Disposal Instructions

- Dispose of the MDT Elite Muzzle Brake in accordance with local regulations regarding metal and firearm accessories.
- If the product is damaged or no longer usable, consider recycling the material if possible.
- Do not dispose of the muzzle brake in regular household waste.

Contact Information for Further Support

For any safety inquiries or additional support regarding the MDT Elite Muzzle Brake, please refer to the manufacturer's contact details provided with the product packaging or on the official website.

Thank you for your attention to these safety guidelines. Your safety and the safety of others are of utmost importance. Enjoy using your MDT Elite Muzzle Brake responsibly.

About Us

Brownells Europe

Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

P.O.Box 4300
Warwick
CV34 9BR

www.brownells.eu