

ESS Chassis Base Savage LA 3.850 - ESS Chassis Base-Savage LA 3.850-Right Handed-ESS Cerakote Storm Trooper White

[Rifle Parts](#) > [Stock Parts](#) > [Rifle Stocks](#)

The rifle (system) and scope shown in the picture are not for sale and are not included. Only the chassis is included in the delivery.

Now you can make your own ESS Chassis, just select a Chassis Base here and add Forend and Stock of your choice! ESS Forends are offered in 3 different lengths, 12", 15" and 18", and can be ordered with a full rail, partial rail, or no rail with cut-outs to allow low scope mounting. Each forend comes with M-LOK slots and QD flush cup mounts. Action-specific scope mounting rails which co-index with the forend rail are available as an accessory. Stock options are the standard Skeleton Rifle stock for ESS, the Folding Rifle Stock for ESS, or the Skeleton Carbine Stock with the use of the ESS to Carbine Adapter.

NO IMAGE
AVAILABLE

Attributes

- Name: [ESS Chassis Base-Savage LA 3.850-Right Handed-ESS Cerakote Storm Trooper White](#)
- Manufacturer: [MDT](#)
- Product no.: EU2007854
- Mfr. No.: 102950-WHT
- Action Type: Long
- Colour: White
- Hand (RH LH): Right
- Material: Aluminum
- Model: 110,111,112,116
- Style: Chassis
- Weapon type: Savage
- Delivery weight: 0.9kg
- Shipping height: 50mm
- Shipping width: 50mm
- Shipping length: 400mm
- UPC: 682131928905

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for MDT ESS Chassis Base Savage LA 3.850](#)
- [About Us](#)

Safety Instruction Guide for MDT ESS Chassis Base Savage LA 3.850

Introduction

Thank you for choosing the MDT ESS Chassis Base Savage LA 3.850. This product is designed for safe and effective use with your firearm. Please read this safety instruction guide carefully to ensure proper handling, installation, and maintenance of the chassis. Adhering to these guidelines will help you avoid hazards and ensure compliance with EU General Product Safety Regulations (GPSR).

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always handle firearms safely and responsibly.
- Keep the chassis and all components out of reach of children and unauthorized users.
- Inspect the chassis and components regularly for signs of wear or damage.
- Do not attempt to modify or alter the chassis in any way.
- Always wear appropriate safety gear when handling firearms.
- Follow all local laws and regulations regarding firearms and their accessories.
- Report any unsafe products or accidents to authorities.

Specific Safety Precautions for Use

- Always ensure that the firearm is unloaded before attaching or detaching the chassis.
- When installing or adjusting components, keep fingers and other body parts clear of moving parts.
- Do not exceed the manufacturer's recommended weight limits for accessories mounted on the chassis.
- Use only compatible forends and stocks as specified by the manufacturer.
- Ensure that all screws and fasteners are tightened to the recommended specifications before use.
- Be aware of your surroundings and ensure that the area is safe when using the firearm with the chassis attached.

Instructions for Installation and Usage

1. Preparation

- Ensure that the workspace is clean and free of obstructions.
- Gather all necessary tools and components before beginning installation.

2. Installation of the Chassis Base

- Remove the existing stock from your firearm according to the manufacturer's instructions.
- Align the MDT ESS Chassis Base with the action of your firearm.
- Secure the chassis base using the provided screws and fasteners, ensuring they are tightened to the specified torque settings.

3. Attaching the Forend

- Select the desired forend length (12", 15", or 18").
- Align the forend with the chassis base rail.
- Secure the forend using the provided mounting hardware, ensuring it is properly tightened.

4. Attaching the Stock

- Choose the appropriate stock option (Skeleton Rifle stock, Folding Rifle Stock, or Skeleton Carbine Stock).
- Follow the manufacturer's instructions for attaching the stock to the chassis base.
- Ensure all connections are secure before use.

5. Scope Mounting (if applicable)

- If using a scope, ensure that it is compatible with the chassis and forend.
- Install the scope according to the manufacturer's instructions, making sure to use the actionspecific scope mounting rails if needed.

6. Final Inspection

- Inspect the entire assembly to ensure all components are securely attached.
- Perform a function check of the firearm to ensure proper operation.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the chassis or any components in household waste.
- If the product is damaged or no longer usable, consider recycling materials where possible.

Contact Information for Further Support

For any questions or concerns regarding the MDT ESS Chassis Base Savage LA 3.850, please refer to the manufacturer's website or contact their customer support for assistance.

By following these safety instructions, you can ensure a safe and enjoyable experience with your MDT ESS Chassis Base Savage LA 3.850. Always prioritize safety and responsibility when handling firearms and their accessories.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk