

ESS Chassis Base Browning X-Bolt - ESS Chassis Base-Browning X-Bolt SA-Right Handed-Cerakote Black

[Rifle Parts](#) > [Stock Parts](#) > [Rifle Stocks](#)

The rifle (system) and scope shown in the picture are not for sale and are not included. Only the chassis is included in the delivery.

Now you can make your own ESS Chassis, just select a Chassis Base here and add Forend and Stock of your choice! ESS Forends are offered in 3 different lengths, 12", 15" and 18", and can be ordered with a full rail, partial rail, or no rail with cut-outs to allow low scope mounting. Each forend comes with M-LOK slots and QD flush cup mounts. Action-specific scope mounting rails which co-index with the forend rail are available as an accessory. Stock options are the standard Skeleton Rifle stock for ESS, the Folding Rifle Stock for ESS, or the Skeleton Carbine Stock with the use of the ESS to Carbine Adapter.

NO IMAGE
AVAILABLE

Attributes

- Name: [ESS Chassis Base-Browning X-Bolt SA-Right Handed-Cerakote Black](#)
- Manufacturer: [MDT](#)
- Product no.: EU2007856
- Mfr. No.: 102952-BLK
- Action Type: Short
- Colour: Black
- Hand (RH LH): Right
- Material: Aluminum
- Model: X-Bolt
- Style: Chassis
- Weapon type: Browning
- Delivery weight: 0.9kg
- Shipping height: 50mm
- Shipping width: 50mm
- Shipping length: 400mm
- UPC: 709951102060

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for MDT ESS Chassis Base Browning XBolt](#)
- [About Us](#)

Safety Instruction Guide for MDT ESS Chassis Base Browning XBolt

Introduction

Thank you for choosing the MDT ESS Chassis Base for your Browning XBolt. This guide provides essential safety instructions and usage guidelines to ensure the safe operation of your product. Please read this document carefully before using the chassis base.

General Safety Guidelines

- Product Safety:
 - Ensure that the MDT ESS Chassis Base is used only as intended and in accordance with the instructions provided.
 - Be aware of potential risks associated with the use of this product, including but not limited to, improper installation and misuse.
- Enhanced Recalls:
 - Stay informed about any product recalls or safety notices that may be issued. You can check for updates on the EU's Safety Gate platform.
- Online Shopping:
 - If purchased online, ensure that the retailer complies with safety regulations similar to those of physical stores.
- Special Consumer Focus:
 - Extra care should be taken when the product is used around children or vulnerable individuals. Ensure they are supervised and kept at a safe distance during use.
- EU Contact Point:
 - For any safety inquiries regarding the MDT ESS Chassis Base, please refer to the contact information provided by your retailer or manufacturer.
- Rapid Alerts:
 - Be aware that updates on unsafe products will be communicated through the Safety Gate system. Regularly check for alerts to ensure your safety.

Specific Safety Precautions for Use

- Always ensure that the chassis base is compatible with your specific model of Browning XBolt before installation.
- Inspect the chassis base for any visible damage or defects before use. Do not use if any issues are found.
- Use appropriate tools for installation to avoid accidents or damage to the product.
- Ensure that all components are securely fastened before operating the firearm.
- Do not exceed the manufacturer's recommended specifications for weight and accessories on the chassis base.
- When handling the firearm, always follow standard firearm safety rules, including treating every firearm as if it is loaded.

- Store the chassis base and any associated components in a secure location to prevent unauthorized access.

Instructions for Installation and Usage

Installation Steps

1. Preparation:

- Gather all necessary tools and components (chassis base, forend, stock, etc.).
- Ensure you are working in a clean, dry, and welllit area.

2. Attach the Chassis Base:

- Align the chassis base with the action of the Browning XBolt.
- Securely fasten the chassis base using the appropriate screws and tools as per the manufacturer's instructions.

3. Install the Forend:

- Select the desired length of the forend (12", 15", or 18").
- Attach the forend to the chassis base, ensuring it is secured correctly.

4. Attach the Stock:

- Choose your preferred stock option (Skeleton Rifle Stock, Folding Rifle Stock, or Skeleton Carbine Stock).
- Install the stock onto the chassis base, ensuring it is locked in place.

5. Final Checks:

- Doublecheck all connections and fittings for security.
- Ensure that any accessories, such as scope mounting rails, are installed correctly and securely.

Usage Guidelines

- Always follow standard firearm safety practices when using the firearm equipped with the MDT ESS Chassis Base.
- Regularly inspect the chassis and its components for wear and tear, and replace any damaged parts immediately.
- Use the chassis base only for its intended purpose and within the limits of the firearm specifications.

Disposal Instructions

- When disposing of the MDT ESS Chassis Base, please follow local regulations and guidelines for the disposal of metal and firearm components.
- Consider recycling the aluminum chassis base at a designated metal recycling facility to minimize environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the MDT ESS Chassis Base, please refer to the contact information provided by your retailer or manufacturer. Ensure that you have your product details available for a more efficient response.

Thank you for ensuring your safety and the safety of others while using the MDT ESS Chassis Base. Enjoy your shooting experience!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk