

ESS Chassis Base Browning X-Bolt - ESS Chassis Base-Browning X-Bolt SA-Right Handed-ESS Cerakote Tactical Gray

[Rifle Parts](#) > [Stock Parts](#) > [Rifle Stocks](#)

The rifle (system) and scope shown in the picture are not for sale and are not included. Only the chassis is included in the delivery.

Now you can make your own ESS Chassis, just select a Chassis Base here and add Forend and Stock of your choice! ESS Forends are offered in 3 different lengths, 12", 15" and 18", and can be ordered with a full rail, partial rail, or no rail with cut-outs to allow low scope mounting. Each forend comes with M-LOK slots and QD flush cup mounts. Action-specific scope mounting rails which co-index with the forend rail are available as an accessory. Stock options are the standard Skeleton Rifle stock for ESS, the Folding Rifle Stock for ESS, or the Skeleton Carbine Stock with the use of the ESS to Carbine Adapter.

NO IMAGE
AVAILABLE

Attributes

- Name: [ESS Chassis Base-Browning X-Bolt SA-Right Handed-ESS Cerakote Tactical Gray](#)
- Manufacturer: [MDT](#)
- Product no.: EU2007859
- Mfr. No.: 102952-GRY
- Action Type: Short
- Colour: Grey
- Hand (RH LH): Right
- Material: Aluminum
- Model: X-Bolt
- Style: Chassis
- Weapon type: Browning
- Delivery weight: 0.9kg
- Shipping height: 50mm
- Shipping width: 50mm
- Shipping length: 400mm
- UPC: 682131928882

Table of Contents

- [Startpage](#)
- [MDT ESS Chassis Base Safety Instruction Guide](#)
- [About Us](#)

MDT ESS Chassis Base Safety Instruction Guide

Introduction

Thank you for choosing the MDT ESS Chassis Base for your Browning XBolt rifle. This guide provides essential safety instructions and information to ensure the proper and safe use of your product. Please read and follow these instructions carefully to maximize safety and performance.

General Safety Guidelines

- Always handle firearms and related equipment with care and responsibility.
- Ensure that the product is used only for its intended purpose.
- Keep this product out of reach of children and unauthorized users.
- Inspect the product regularly for any signs of damage or wear.
- Always follow the manufacturer's instructions for installation and use.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed about product recalls through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Firearm Safety:** Always treat your firearm as if it is loaded. Keep the muzzle pointed in a safe direction and your finger off the trigger until ready to shoot.
- **Installation Precautions:** Ensure that the chassis base is securely attached to the rifle before use. Loose fittings can result in malfunctions.
- **Modification Warning:** Avoid modifying the chassis base or any of its components beyond the manufacturer's recommendations. Unauthorized modifications may compromise safety.
- **Ammunition Compatibility:** Use only compatible ammunition as specified by the firearm manufacturer. Using incorrect ammunition can lead to dangerous malfunctions.
- **Shooting Environment:** Be aware of your surroundings when using your firearm. Ensure the area is clear and safe for shooting.

Instructions for Installation and Usage

1. Installation of Chassis Base:

- Ensure the rifle is unloaded and pointed in a safe direction.
- Remove the existing stock from the Browning XBolt following the manufacturer's instructions.
- Align the MDT ESS Chassis Base with the action of the rifle.
- Securely fasten the chassis base using the provided screws, ensuring a snug fit.
- Check that the chassis base is properly aligned and free of movement.

2. Attaching Forend and Stock:

- Choose a compatible forend (12", 15", or 18") and stock option (Skeleton Rifle stock, Folding Rifle Stock, or Skeleton Carbine Stock).
- Follow the manufacturer's instructions to attach the forend to the chassis base. Ensure that it is securely fastened.
- Attach the chosen stock to the rear of the chassis base, confirming it is locked in place.

3. Scope Mounting:

- If using a scope, attach the actionspecific scope mounting rail according to the instructions provided.
- Ensure that the scope is securely mounted and properly aligned before use.

4. PreUse Inspection:

- Before each use, inspect the chassis base, forend, and stock for any signs of wear or damage.
- Ensure all screws and fittings are tight and secure.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in general waste.
- Contact your local waste management authority for guidance on proper disposal methods for aluminum and other materials used in the chassis base.

Contact Information for Further Support

For safety inquiries or further assistance, please refer to the manufacturer's official website or contact their customer support team.

By following these guidelines and instructions, you can ensure the safe and effective use of your MDT ESS Chassis Base. Thank you for prioritizing safety and responsible firearm handling.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk