

NECK SIZE BUSHINGS - TRIEBEL Neck Size Bushing 8.33mm - 300 AAC Blackout

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Triebel neck size bushing - for exchange on Triebel neck sizing dies.

Specs

- Diameter (inside): 8.33mm
- Caliber: 300 AAC Blackout
- Diameter (outside): 12.7mm

NO IMAGE
AVAILABLE

Attributes

- Name: [TRIEBEL Neck Size Bushing 8.33mm - 300 AAC Blackout](#)
- Manufacturer: [TRIEBEL](#)
- Product no.: EU2008735
- Mfr. No.: 3000240-8,33
- Die Style: Bushing Neck Sizing Die
- Inside Diameter: 8.33mm
- Delivery weight: 0.02kg
- Shipping height: 60mm
- Shipping width: 25mm
- Shipping length: 50mm

Table of Contents

- Startpage
- TRIEBEL NECK SIZE BUSHINGS Safety Instruction Guide
- About Us

TRIEBEL NECK SIZE BUSHINGS Safety Instruction Guide

Introduction

Thank you for choosing the TRIEBEL Neck Size Bushing for your reloading needs. This guide provides essential safety information and instructions to ensure the safe and effective use of the product. Please read this manual carefully before using the neck size bushing.

General Safety Guidelines

- Always ensure the product is used in accordance with the manufacturer's instructions.
- Inspect the neck size bushing for any visible damage before use. Do not use if damaged.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed about any recalls or safety updates via the EU Safety Gate platform.

Specific Safety Precautions for Use

- Use the neck size bushing only with compatible Triebel neck sizing dies.
- Ensure proper alignment when using the neck size bushing to avoid accidents.
- Avoid wearing loose clothing or jewelry that could get caught during the reloading process.
- Always wear appropriate personal protective equipment (PPE), such as safety glasses, when reloading.
- Do not exceed the recommended specifications for the bushing to ensure safe operation.

Instructions for Installation and Usage

1. Installation:

- Ensure that the reloading press is turned off and unplugged.
- Remove the existing bushing from the neck sizing die if present.
- Insert the TRIEBEL Neck Size Bushing (8.33mm) into the die, ensuring a snug fit.
- Secure the bushing in place according to the die manufacturer's instructions.

2. Usage:

- Prepare your brass cases as per standard reloading procedures.
- Adjust the reloading press to the appropriate setting for neck sizing.
- Insert the brass case into the die, ensuring it is aligned properly.
- Operate the press smoothly, applying even pressure to size the neck of the case.
- After sizing, remove the brass case and check for proper fit and sizing.

Disposal Instructions

- Dispose of any damaged or unusable neck size bushings in accordance with local regulations.
- Do not dispose of the product in general household waste. Check with local recycling centers for appropriate disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the TRIEBEL Neck Size Bushing, please refer to the manufacturer's website or customer support channels for assistance.

Thank you for your attention to these safety instructions. Your safety is our priority, and we wish you a successful reloading experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk