

NECK SIZE BUSHINGS - TRIEBEL Neck Size Bushing 9.10mm - 8.5x55 Blaser

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Triebel neck size bushing - for exchange on Triebel neck sizing dies.

Specs

- Diameter (inside): 9.10mm
- Caliber: 8.5x55 Blaser
- Diameter (outside): 15mm

NO IMAGE
AVAILABLE

Attributes

- Name: [TRIEBEL Neck Size Bushing 9.10mm - 8.5x55 Blaser](#)
- Manufacturer: [TRIEBEL](#)
- Product no.: EU2008751
- Mfr. No.: 3000241-9,10
- Die Style: Bushing Neck Sizing Die
- Inside Diameter: 9.10mm
- Delivery weight: 0.02kg
- Shipping height: 60mm
- Shipping width: 25mm
- Shipping length: 50mm

Table of Contents

- Startpage
- Safety Instruction Guide for TRIEBEL Neck Size Bushing
- About Us

Safety Instruction Guide for TRIEBEL Neck Size Bushing

Introduction

Thank you for choosing the TRIEBEL Neck Size Bushing, designed for precision and reliability in neck sizing for 8.5x55 Blaser cartridges. This guide provides essential safety instructions to ensure safe and effective use of the product in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Always read and understand the safety instructions before using the product.
- Ensure the product is used only for its intended purpose as specified.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly check for any signs of wear or damage before use.
- Report any unsafe conditions or incidents to relevant authorities.

Specific Safety Precautions for Use

- **Potential Hazards:**
 - Improper use may lead to injury or malfunction of the reloading equipment.
 - The bushing may become damaged if not handled properly, leading to inaccurate sizing.
- **Avoiding Hazards:**
 - Use protective eyewear when handling and using reloading equipment.
 - Ensure the bushing is securely installed in the die before use.
 - Do not exceed the recommended specifications for the neck size bushing.

Instructions for Installation and Usage

1. Installation:

- Ensure the reloading press is turned off and unplugged before installation.
- Carefully remove the old bushing from the neck sizing die.
- Insert the TRIEBEL Neck Size Bushing (9.10mm) into the die, ensuring it fits snugly.
- Tighten the die according to the manufacturer's instructions to secure the bushing in place.

2. Usage:

- Set the reloading press to the appropriate settings for the 8.5x55 Blaser caliber.
- Place the cartridge case into the die and apply steady pressure using the reloading press.
- Monitor the process to ensure that the bushing is functioning correctly and that the case is being sized accurately.
- After usage, remove the cartridge case and inspect it for proper sizing.

Disposal Instructions

- Dispose of any damaged or worn bushings in accordance with local regulations.
- Do not dispose of the product in household waste. Check for recycling options specific to metal products.
- Ensure that the product is disposed of in a way that prevents environmental harm.

Contact Information for Further Support

For any inquiries regarding safety or product performance, please reach out to your local retailer or manufacturer's representative.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk